

PPP2 NEW PROJECT FACILITIES-PRIMARY **ROOM DATA SHEET REFERENCE CODE**

FIRST PREFIX

- S Secondary School
- P Primary School
- A Assisted Schools or Special Needs

SECOND PREFIX

- C Classrooms, Tutorial rooms and specialised Class areas
- H Halls, Sport rooms, Swimming Pools, Dining areas, Libraries, Foyers and Circulation
- A Ancillary accommodation – Toilets, Cloakrooms, Lockers, Kitchens and Service rooms
- O Offices, Staffrooms, Staff bases, Interview rooms, Meeting rooms
- S Stores of all sizes and purposes

NUMBER

This denotes the intended minimum room area – e.g. 18 = 18 square metres floor area
Accommodation Schedules will take precedence over Room Data Sheets
Toilets, Circulation, Lockers, Cloakrooms and Social Areas are for general guidance
and should interlink to provide the necessary accommodation to be compliant. Areas on

AFFIX

This denotes the room type – e.g. Nu = Nursery, Int = Interview, To/Pu = Toilets for Pupils
N denotes Normal or non specific or the affix may be missed out if unnecessary
thus
P C 63 N = Primary, Classroom, 63 sq m, Normal.
P O 15 HT = Primary, Office, 15 sq m, Head Teacher.
P A 30 To/Pu = Primary, Ancillary, 30sq m Toilets for Pupils

EXTERNAL WORKS

This is detailed at the end of the Room Data Sheets as -EXTERNAL DATA SHEET.

NOTE – all service and maintenance rooms including janitor, cleaning, ground maintenance, plant and service rooms, access ways etc are to be assessed and catered for in the design and layout. Circulation space is to be provided to suit the building layout. Toilet provision must accord with statutory requirements and building regulations

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEETS	ROOM NAME	Cawdor Primary	Culbokie Primary	Resolis Primary	Inverness Gaelic Primary	Inshes	Kinlochleven Primary
<u>PC 63 N</u>	Primary Classroom	✓	✓	✓		✓	
<u>PC 55 N</u>	Primary Classroom	✓	✓	✓	✓		✓
<u>PC 52 N</u>	Primary Classroom						✓
<u>PC 55 PSB/RA</u>	Resource Classroom	✓					
<u>P C 63 ICT</u>	ICT Classroom					✓	
<u>P C 63 GP</u>	General Purpose Room					✓	
<u>PC 67 Nu</u>	Nursery / Playroom						✓
<u>PC 70 Nu</u>	Nursery / Playroom		✓				
<u>PC 72 Nu</u>	Nursery / Playroom					✓	
<u>PC 86 Nu</u>	Nursery / Playgroup	✓					
<u>PC 89 Nu</u>	Nursery / Playgroup				✓		
<u>P C 44 Pl</u>	Playroom					✓	
<u>P C 57 Pl</u>	Playgroup Room	✓					
<u>P C 11 PS</u>	Pupil Support		✓	✓			
<u>P C 15 PS</u>	Pupil Support	✓			✓	✓	

ROOM DATA SHEETS	ROOM NAME	Cawdor Primary	Culbokie Primary	Resolis Primary	Inverness Gaelic Primary	Inshes	Kinlochleven Primary
<u>P H 40 Re/A</u>	Adult Resource				✓		
<u>P H 70 Re/c</u>	Resource / Library Area						✓
<u>P H 77 Re</u>	Resource / Library Area			✓			
<u>P H 90 Re</u>	Resource / Library Area	✓					
<u>P H 120 Re</u>	Resources / Library					✓	
<u>P H 134 Re</u>	Resource / Library Area		✓		✓		
<u>P H 140 MP</u>	Multi Purpose Hall			✓			✓
<u>P H 160 MP</u>	Multi Purpose Hall				✓		
<u>P H 180 MP</u>	Multi Purpose Hall	✓	✓				
<u>P H 266 MP</u>	Multi Purpose Hall					✓	
<u>P H 60 Din</u>	GP / Dining Area			✓			
<u>P H 65 Din</u>	GP / Dining Area		✓				
<u>P H 70 Din</u>	GP / Dining Area	✓			✓		
<u>P H XX Cir</u>	Circulation		✓	✓	✓	✓	✓
<u>P H 8 Wa</u>	Waiting Area		✓	✓	✓	✓	✓
<u>P H 6 Wa</u>	Waiting Area	✓					
<u>P H 4 Wa</u>	Waiting Area						✓

ROOM DATA SHEETS	ROOM NAME	Cawdor Primary	Culbokie Primary	Resolis Primary	Inverness Gaelic Primary	Inshes	Kinlochleven Primary
<u>P A 22 To/Nu</u>	Nursery cloaks, toilets			✓			
<u>P A 23 To/Nu</u>	Nursery cloaks, toilets	✓	✓				
<u>P A 26 To/Nu</u>	Nursery cloaks, toilets				✓		✓
<u>P A 30 To/Nu</u>	Nursery cloaks, toilets	✓					
<u>P A 44 To/Nu</u>	Nursery cloaks, toilets					✓	
<u>P A 2 To</u>	Toilet					✓	
<u>P A 10 To/St</u>	Staff Toilets	✓	✓	✓	✓		✓
<u>P A 20 To/St</u>	Staff Toilets					✓	
<u>P A 7 Sh</u>	Shower rooms			✓			
<u>P A 10 Sh</u>	Shower rooms						✓
<u>P A 11 Sh</u>	Shower rooms		✓				
<u>P A 12 Sh</u>	Shower rooms		✓				✓
<u>P A 13 Sh</u>	Shower rooms				✓		
<u>P A 14 Sh</u>	Shower rooms	✓					
<u>P A 19 Sh</u>	Shower rooms					✓	
<u>P A 51 To/Pu</u>	Pupil Cloakroom / Toilets						✓
<u>P A 59 To/Pu</u>	Pupil Cloakroom / Toilets			✓			
<u>P A 65 To/Pu</u>	Pupil Cloakroom / Toilets	✓					
<u>P A 70 To/Pu</u>	Pupil Cloakroom / Toilets		✓				
<u>P A 83 To/Pu</u>	Pupil Cloakroom / Toilets				✓		
<u>P A 116 To/Pu</u>	Pupil Cloakroom / Toilets					✓	
<u>P A 6 DTS</u>	Disabled Toilet / shower	✓				✓	✓
<u>PA 6 A/T/S</u>	Assisted toilet and Shower						✓
<u>PA 8 A/T/S</u>	Assisted toilet and Shower	✓	✓	✓	✓		
<u>PA 3 To/Dis</u>	Disabled Toilet		✓				
<u>P A 4 Ser</u>	Server		✓	✓	✓	✓	
<u>P A 5 Ser</u>	Server	✓					✓
<u>P A 7 Kit</u>	Kitchen					✓	
<u>P A 12 Kit</u>	Kitchen	✓					
<u>P A 50 Kit</u>	Kitchen	✓	✓	✓			
<u>P A 55 Kit</u>	Kitchen				✓		
<u>P A 120 Kit</u>	Kitchen					✓	

ROOM DATA SHEETS	ROOM NAME	Cawdor Primary	Culbokie Primary	Resolis Primary	Inverness Gaelic Primary	Inshes	Kinlochleven Primary
<u>P O 15 HT</u>	Head Teacher' Office	✓	✓		✓	✓	✓
<u>P O 19 HT</u>	Head Teacher' Office			✓			
<u>P O 20 HT</u>	Head Teacher' Office					✓	
<u>P O 15 Gen</u>	General Office			✓			
<u>P O 20 Gen</u>	General Office	✓	✓		✓		✓
<u>P O 25 Gen</u>	General Office					✓	
<u>P O 15 St/St</u>	Staff Base / Store			✓			
<u>P O 25 St</u>	Staffroom						✓
<u>P O 27 St</u>	Staffroom			✓			
<u>P O 35 St</u>	Staffroom	✓	✓		✓		
<u>P O 50 St</u>	Staffroom					✓	
<u>P O 12 Med</u>	Medical / Visiting Services		✓	✓			✓
<u>P O 14 Med</u>	Medical / Visiting Services	✓					
<u>P O 16 Med</u>	Medical / Visiting Services				✓		
<u>P O 20 Med</u>	Medical / Visiting Services					✓	
<u>P O 15 Com</u>	Community Office				✓		
<u>P O 45 Com</u>	Community Room		✓				
<u>P O 49 Com</u>	Community Room	✓					
<u>P O 30 Me</u>	Meeting Room	✓					
<u>P O 25 Me</u>	Meeting Room					✓	
<u>PO 7 RS</u>	Recording Studio				✓		
<u>P O 10 Nu</u>	Nursery Office					✓	

ROOM DATA SHEETS	ROOM NAME	Cawdor Primary	Culbokie Primary	Resolis Primary	Inverness Gaelic Primary	Inshes	Kinlochleven Primary
<u>P S 8 Re</u>	Resource Store	✓					
<u>P S 10 Re</u>	Resource Store	✓			✓		
<u>P S 11 Re</u>	Resource Store	✓		✓			
<u>P S 13 Re</u>	Resource Store					✓	
<u>P S 16 Re</u>	Resource Store				✓		
<u>P S 18 Re</u>	Resource Store		✓				
<u>P S 24 Re</u>	Resource Store					✓	✓
<u>P S 6 Nu</u>	Nursery Store	✓					
<u>P S 7 Nu</u>	Nursery Store		✓	✓	✓		✓
<u>P S 11Nu</u>	Nursery Store	✓					
<u>P S 18 Nu</u>	Nursery Store					✓	
<u>P S 12 PE</u>	PE Store			✓			
<u>P S 15 PE</u>	PE Store	✓	✓		✓	✓	✓
<u>P S 12 PE/O</u>	Outdoor PE Store			✓			
<u>P S 15 PE/O</u>	Outdoor PE Store		✓		✓		✓
<u>P S 18 PE/O</u>	Outdoor PE Store	✓					
<u>P S 20 PE/O</u>	Outdoor PE Store					✓	
<u>P S 10 Ch</u>	Chair Store			✓	✓		✓
<u>P S 13 Ch</u>	Chair Store	✓					
<u>P S 14 Ch</u>	Chair Store		✓				
<u>P S 15 Ch</u>	Chair Store		✓				
<u>P S 16 Ch</u>	Chair Store	✓					
<u>P S 20 Ch</u>	Chair Store	✓				✓	
<u>P S 5 Ad</u>	Administration Store	✓		✓			✓
<u>P S 7 Ad</u>	Administration Store	✓	✓		✓		
<u>P S 8 Ad</u>	Administration Store					✓	
<u>P S 10 Mu</u>	Music Store				✓		

DATA SHEETS	AREA NAME	External Cawdor Primary	External Culbokie Primary	External Resolis Primary	External Inverness Gaelic Primary	External Inshes	External Kinlochleven Primary
<u>P S XX Out</u>	EXTERNAL DATA	✓	✓	✓	✓	✓	✓

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET – P C 63 N

Room Name:	Classroom
Required Floor Area:	63m ²
Room Description:	Cater for 33 pupils flexible spaces allowing for - whole class teaching, small group teaching, working activities etc.
Special Requirements:	Access door with glazed viewing panel 900 x 900mm glazed viewing panel adjacent to access door, where practicable
Finishes:	Walls – resistant to wear, painted Vertical blinds to windows excluding viewing panels Floor – Anti-static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light Waterproof slip resistant in wet area (approximately 30% of classroom floor area) Ceiling – Minimum height 2.7m
Fixtures:	750mm wide 725mm high continuous worktop on cantilevered brackets to one wall with lockable door storage and tray units below, knee spaces for 5 pupils between storage. One suitable for wheelchair access Continuous wall cupboard storage above worktop, including lockable and 1 open bookcase Adjustable height sink with double drainer and splash back with hot and cold water in wet area including mains supply Sink and fittings to suit use by wheelchair users and pupils. Hand drying facilities 10 No. flexible hooks for aprons Adjustable display shelving 4 shelves high, 300mm deep, 1500mm long Framed, self healing, fire resistant pin boarding. Min area 10m ² Roller whiteboard min 6m ² complete with overhead projection screen. Board to have a minimum of 3 panel types Board position and panel types to be confirmed with Authority's Representative
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock Illumination of Whiteboard Dado trunking to at least two walls containing power and network points. 5 No. Network/voice/data points with associated power outlets adjacent to teaching area and in floor box., 6 No. network/voice/data points, and associated power outlets, available for use at computer worktop. 10 No. network/voice/data points with associated power outlets within perimeter dado trunking. FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services in teaching area and floor box

See Section E.2 for power outlets
 Panic alarm.
 Infrastructure for sound field system
 Power and LCD link to ceiling projector mounting point from teaching station and floor box
 Floor power outlets for overhead projector

Additional Requirements

Window	Essential
Natural ventilation	Essential
Dim out blinds	Essential

Furniture:

17 No. fully welded double desks 1200 x 600mm, height to suit age group
 2 No. semi-circular tables 1200mm diam, height to suit age group
 1 No. double desk, height adjustable and suitable for wheelchair users
 35 No. pupil chairs to suit age group
 5 No. operator chairs adjustable to suit adult and child age group
 1 No. teaching double pedestal desk station
 2 No. teacher/operator chairs
 1 No. adult easy chair
 2 No. child soft chairs
 1 No. 4 drawer filing cabinet
 1 No. double sided bookcase with display ends
 1 No. three sided easel – multi surface for chalk, marker and paint
 3 No. trolleys – 18 tray unit. Trays to be supplied in a variety of colours and depths
 1 No. projector trolley shared between 3 classrooms
 1 No. TV/video adjustable wall mounted bracket to take a 21” TV/Video unit
 1 No. big book trolley
 1 No. spring loaded art dryer
 1 No. dressing up trolley for classes P1, P2 and P3
 10 No. bean bag cushions

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET – P C 55 N ROOM DATA SHEET – P C 52 N

Room Name:	Classroom
Required Floor Area:	52m ² or 55m ² . As indicated on the Accommodation Schedules
Room Description:	Cater for 25 pupils. flexible spaces allowing for - whole class teaching, small group teaching, working activities etc.
Special Requirements:	Access door with glazed viewing panel 900 x 900mm glazed viewing panel adjacent to access door where practicable
Finishes:	Walls – resistant to wear, painted Vertical blinds to windows excluding viewing panels Floor – Anti-static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light Waterproof slip resistant in wet area (approximately 30% of classroom floor area) Ceiling – Minimum height 2.7m
Fixtures:	750mm wide 725mm high continuous worktop on cantilevered brackets to one wall with lockable door storage and tray units below, knee spaces for 5 pupils between storage, one suitable for wheelchair users. Continuous wall cupboard storage above worktop including 1 lockable and 1 open bookcase. Adjustable height sink with double drainer and splash back with hot and cold water in wet area, including mains supply Sink and fittings to suit use by wheelchair users and pupils. Hand drying facilities Adjustable display shelving 4 shelves high, 300mm deep, 1500mm long. Framed, self healing, fire resistant pin boarding. Min area 10m ² Roller whiteboard min 6m ² complete with overhead projection screen. Board to have a minimum of 3 panel types Board position and panel types to be confirmed with Authority's Representative 10 No. flexible hooks for aprons
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock Illumination of Whiteboard Dado trunking to at least two walls containing power and network points. 5 No. Network/voice/data points with associated power outlets adjacent to teaching area and in floor box. 6 No. Network/voice/data points, and associated power outlets, available for use at computer worktop. 10 No. Network/voice/data points with associated power outlets

within perimeter dado trunking.
 FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services in teaching area and floor box
 See Section E.2 for power outlets
 Panic alarm
 Infrastructure for sound field system
 1 No. telephone hand set
 Power and LCD link to ceiling projector mounting point from teaching station and floor box
 Floor power outlets for overhead projector

Additional Requirements

Window	Essential
Natural ventilation	Essential
Dim out blinds	Essential

Furniture:

13 No. fully welded double desks 1200 x 600mm, height to suit age group.
 2 No. semi-circular tables 1200mm diam, height to suit age group
 1 No. double desk, height adjustable and suitable for wheelchair users
 30 No. pupil chairs to suit age group
 5 No. operator chairs adjustable to suit adult and child age group
 1 No. teaching double pedestal desk station
 2 No. teacher/operator chairs
 1 No. adult easy chair
 2 No. child soft chairs
 1 No. 4 drawer filing cabinet
 1 No. double sided bookcase with display ends
 1 No. three sided easel – multi surface for chalk, marker and paint
 3 No. trolleys – 18 tray unit. Trays to be supplied in a variety of colours and depths
 1 No. projector trolley shared between 3 classrooms.
 1 No. TV/video adjustable wall mounted bracket to take a 21” TV/Video unit
 1 No. big book trolley
 1 No. spring loaded art dryer
 1 No. dressing up trolley for classes P1, P2 and P3

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET – P C 55 PSB/RA

Room Name:	Pupil Support Base/Resource Store
Required Floor Area:	55m ² Min
Room Description:	Cater for 25 pupils and resource storage
Special Requirements:	Access door with 900 x 900mm glazed viewing panel adjacent to access door where practicable.
Finishes:	Walls – Resistant to wear, painted Vertical blinds to windows excluding viewing panels Floor – Anti-static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light Ceiling – Minimum height 2.7m
Fixtures:	750mm wide 725mm high continuous worktop on cantilevered brackets to one short wall, opposite end from door Continuous wall cupboard storage above worktop including 1 lockable and 1 open bookcase. Continuous shelving storage, book-width deep, to long internal (door) wall Framed, self healing, fire resistant pin boarding. Min area 10m ² Roller whiteboard min 6m ² complete with overhead projection screen, Board to have a minimum of 3 panel types Board position and panel types to be confirmed with Authority's Representative
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock Illumination of Whiteboard Dado trunking to at least two walls containing power and network points. 5 No. Network/voice/data points with associated power outlets adjacent to teaching area and in floor box. 16 No. Network/voice/data points with associated power outlets available in perimeter dado trunking around the room and above worktop FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services in teaching area and floor box See Section E.2 for power outlets Panic alarm Infrastructure for sound field system 1 No. telephone hand set Power and LCD link to ceiling projector mounting point from teaching station and floor box Floor power outlets for overhead projector
Additional Requirements	Window Essential Natural ventilation Essential Dim out blinds Essential

Furniture:

- 9 No. fully welded double desks 1200 x 600mm, height to suit age group.
- 1 No. double desk, height adjustable and suitable for wheelchair users
- 20 No. operator chairs adjustable to suit adult and child age group
- 1 No. 4 drawer filing cabinet
- 2 No. trolleys – 18 tray unit. Trays to be supplied in a variety of colours and depths
- 1 No. TV/video adjustable wall mounted bracket to take a 21” TV/Video unit
- 1 No. Big book trolley
- 1 No. Music Instrument Trolley

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P C 63 ICT

Room Name:	ICT/Lifelong Learning Area
Required Floor Area:	63m²
Room Description:	To cater for 30 pupils
Special Requirements	Glazed viewing panel from library ICT/Lifelong Learning areas should be adjacent to the main library area but may be converted to an individual classrooms at a future date. Computer workstations Access door with glazed viewing panel 900 x 900mm glazed viewing panel adjacent to access door where practicable
Finishes:	Walls –resistant to wear, painted Vertical blinds to windows excluding viewing panels Floor - Anti-static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light. Ceiling - Minimum height 2.7m (excluding combs)
Fixtures:	30 Workstations, five number suitable for wheelchair users 750 mm deep, 725mm high minimum for workstations Worktop space for scanner, printers etc. Roller whiteboard min 6m ² complete with overhead projection screen, Board to have a minimum of 3 panel types Board position and panel types to be confirmed with Authority's Representative 30 Tray units under workstations Continuous lockable wall cupboards to one long wall, above workstations. Adjustable shelving to one wall. 2 shelves high 300mm deep Framed, self healing, fire resistant pin boarding. Min area 10m ² 15 coat pegs
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit
:	1 No. electrically operated clock FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services in teaching area and floor box 5 No. network/voice/data points with associated power outlets to teaching area and in floor box.. 24 No. network/voice/data points with associated power outlets around room including workstations. 5 No. network/voice/data points with associated power outlets available at worktop space for scanners, printers etc. Illumination of whiteboard Dado trunking to at least two walls containing power and network points 1 No. Telephone handset See Section E.2 for power outlets Power and LCD link to ceiling projector mounting point from

teaching station and floor box
Infrastructure for sound field system
Mains isolator switch
Panic alarm

Additional Requirements:	Window –	Essential
	Natural ventilation –	Essential
	Dim out blinds	Essential

Furniture:	30 No. operator chairs.
	1 No. Teacher pedestal radial desk workstation
	1 No. Teacher/operator chair
	2 No. 5 shelf bookcases
	2 No. 4 drawer filing cabinets
	3 No. treble tray trolleys
	1 No. TV/video stand for 28’’ wide screen TV.
	1 No. overhead projector trolley shared between 3 classrooms

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P C 63 GP

Room Name:	General Purpose Area
Required Floor Area:	63m²
Room Description:	Cater for 33 people flexible spaces for whole class teaching, small group teaching, working activities etc.
Special Requirements:	Access door with glazed viewing panel 900 x 900mm glazed viewing panel adjacent to access door where practicable
Finishes:	Walls –resistant to wear, painted. Vertical blinds to all windows excluding viewing panels Floor - Anti-static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light. Waterproof slip resistant in wet area (approximately 30% of classroom floor area) Ceiling - Minimum height 2.7m.
Fixtures:	600 wide 900 high worktop on cantilevered brackets along one wall with lockable door storage. Wet Area – Adjustable height sink unit, suitable for the wheelchair users and for use by pupils, with large sink, double drainer and splash back and hot and cold water supply including mains supply. Hand drying facilities. 600mm wide cooker, suitably guarded, with double oven [one fan assisted] and ceramic top Refrigerator Continuous wall cupboards above worktop, including 2 lockable, 1 open bookcase, and 1 pigeon holed. Wash hand basin, suitable for use by wheelchair users and for use by pupils, with splash back, hot and cold water and hand drying facilities. Adjustable shelving on one wall. 2 shelves, 2m long 300mm wide Roller whiteboard min 6m ² complete with overhead projection screen, Board to have a minimum of 3 panel types Board position and panel types to be confirmed with Authority's Representative Framed, self healing, fire resistant pin boarding. Min area 10m ² 15 coat pegs.
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services in teaching area and floor box 10 No. Network/voice/data points, within perimeter dado trunking at the teaching station and in the floor box. All with associated power outlets Illumination of whiteboard Dado trunking to walls containing power and network points.

See Section E.2 for power outlets
 Cooker to be key switched
 Infrastructure for sound field system
 Power and LCD link to ceiling projector mounting point from
 teaching station and floor box
 1 No. Telephone handset
 Panic alarm

Additional Requirements:

Window –	Essential
Natural ventilation -	Essential
Dim out blinds -	Essential

Furniture:

16 No. Fully welded double desks, 1200mm x 600mm
 1 No. Adjustable height double desk suitable for the wheelchair
 users
 33 No chairs
 5 No. operator chairs
 1 No. teaching lockable double pedestal radial desk station
 1 No. teacher/operator chair
 2 No. 5 shelf book cases
 1 No. 4 drawer filing cabinets
 2 No. trolleys –18 tray unit
 1 No. overhead projector trolley shared between 3 classrooms.
 1 No. TV/video stand for 28’’ wide screen TV

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P C 67 Nu ROOM DATA SHEET P C 70 Nu

Room Name:	Nursery Room
Required Floor Areas:	67m ² or 70m ² (including quiet room). As indicated in the Accommodation Schedules
Room Description:	To accommodate 20 pupils
Special Requirements:	Care should be taken to ensure that the area where food can be prepared meets all Health and Safety requirements The quiet room to have low stimulation décor Windows to be at a height to suit small children.
Relationship to other rooms:	Adjacent to Nursery toilets Door with vision panels to give access to a secure dedicated external play area Glazed viewing panels in doors
Finishes:	Walls –resistant to wear, non abrasive, painted Vertical blinds to windows excluding viewing panels Floor – Anti-static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light. Waterproof non slip in wet area (approximately 30% of classroom floor area) Ceiling – Minimum height 2.7m
Fixtures:	750mm wide 600mm high continuous worktop to one wall with lockable door storage and lockable door fronted tray units below, knee space for 5 pupils between storage. One suitable for wheelchair users Continuous wall cupboard storage above worktop, including 1 lockable and 1 open bookcase 600 mm wide 900 mm high worktop with storage under, 600mm wide cooker with double oven and ceramic top and suitably guarded, washing machine, tumble dryer, refrigerator, dishwasher and microwave oven. Continuous lockable wall cupboard storage units above worktop. Wash hand basin, suitable for use by children and the wheelchair users, with splash back, hot and cold water and hand drying facilities 2 No. large, deep sinks with drainers and splash backs with hot and cold water supplies including mains supply (one in 900mm, one in 600mm high worktops) Minimum bowl size 460 x 380 x 200mm Hand drying facilities Fittings to suit use by nursery children Framed, self healing, fire resistant pin boarding, some at child height. Min. area 10m ² 'Parents' notice/information board at entry point 1 No. cooler drinking fountain with bottle filling attachment, suitable for use by pupils and wheelchair users
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit.

1 No. electrically operated clock
 Wall wash luminaries at 1m centres along one wall to highlight displays
 Dado trunking to one full wall with power and network outlets
 1 No. Telephone handset
 Panic alarm
 Infrastructure for sound field system
 6 No. Network/voice/data points around the room within perimeter trunking including above the low level worktop. All with associated power outlets
 See Section E.2 for power outlets
 FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services in teaching area and floor box
 If heat emitters are within reach of children they should be the low surface temperature type

Additional Requirements

Window	Essential
Natural ventilation	Essential
Dim out blinds	Essential

Furniture:

5 No. Fully welded semi circular tables 1000mm diam. Height to suit age groups
 5 No. fully welded double desks 1200 x 600mm heights to suit age groups
 20 No. child chairs, various colours, to suit age group
 1 No. double desk, adjustable and suitable for wheelchair users.
 5 No. operator chairs adjustable to suit adult and child age groups
 2 No. teacher/operator chairs
 1 No. adult easy chair
 Movable/portable roller whiteboard min 3.3m². Must pass through doorways.
 2 No. trolleys – 18 tray units. Trays to be supplied in a variety of colours and depths
 1 No. double sided mobile big book trolley
 8 No. bean bag cushions
 1 No. 4 drawer filing cabinet
 1 No. TV/video stand for 28" wide screen TV
 Easy stack rest bed
 House corner unit, with low level windows, plus play furniture
 Sand and water tray and equipment set
 2 No. painting dryer units
 Dry art trolley
 Wet art trolley
 3 No. low level movable screens. (Approx. size 900mm high, 1500mm long)

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P C 72 Nu

Room Name:	Nursery Room
Required Floor Areas:	72m ² (separate shared 7m ² kitchen to be provided)
Room Description:	To accommodate 30 pupils
Relationship to other rooms:	Adjacent to Nursery toilets Door with vision panels to give access to a secure dedicated external play area Will have own external entrance Glazed viewing panels in doors
Finishes:	Walls –resistant to wear, non abrasive, painted Vertical blinds to windows excluding viewing panels Floor - Anti-static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light. Waterproof non slip in wet area approximately 30% of floor area Ceiling – Minimum height 2.7m
Fixtures:	750mm wide 600mm high continuous worktop to one wall with lockable door storage and lockable door fronted tray units below, knee space for 5 pupils between storage. One suitable for wheelchair user Continuous wall cupboard storage above worktop, including 1 lockable and 1 open bookcase Continuous lockable wall cupboard storage units above worktop. Wash hand basin, suitable for use by children and the wheelchair users, with splash back, hot and cold water and hand drying facilities 2 No. large, deep sinks with drainers and splash backs with hot and cold water supplies including mains supply (one in 900mm, one in 600mm high worktops) Minimum bowl size 460 x 380 x200mm Hand drying facilities Fittings to suit use by nursery children Framed, self healing, fire resistant pin boarding, some at child height. Min. area 10m ² 'Parents' notice/information board at entry point 1 No. cooler drinking fountain with bottle filling attachment, suitable for use by pupils and wheelchair users
Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock Wall wash luminaries at 1m centres along one wall to highlight displays Dado trunking to one full wall with power and network outlets 1 No. Telephone handset Panic alarm 6 No. Network/voice/data points around the room within perimeter dado trunking including above the low level worktop All with associated power outlets See Section E.2 for power outlets

FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services in teaching area and floor box
 Infrastructure for sound field system

Additional Requirements

Window	Essential
Natural ventilation	Essential
Dim out blinds	Essential

Furniture:

6 No. fully welded semi circular tables 1000mm diam. Height to suit age groups
 6 No. fully welded double desks 1200 x 600mm heights to suit age groups
 30 No. child chairs, various colours, to suit age group
 1 No. double desk, adjustable and suitable for wheelchair users
 5 No. operator chairs adjustable to suit adult and child age groups
 2 No. teacher/operator chairs
 1 No. adult easy chair
 Movable/portable roller whiteboard min 3.3m². Must pass through doorways.
 2 No. trolleys – 18 tray units. Trays to be supplied in a variety of colours and depths
 1 No. double sided mobile big book trolley
 10 No. bean bag cushions
 1 No. 4 drawer filing cabinet
 Waste bin(s)
 Waste food bin(s)
 1 No. TV/video stand for 28” wide screen TV
 Easy stack rest bed
 House corner unit, with low level windows, plus play furniture
 Sand and water tray and equipment set
 2 No. painting dryer unit
 Dry art trolley
 Wet art trolley
 3 No. low level movable screens. (Approx. size 900mm high, 1500mm long)

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P C 86 Nu

ROOM DATA SHEET P C 89 Nu

Room Name:	Nursery Room
Required Floor Areas:	86m ² or 89m ² (including quiet room). As indicated in the Accommodation Schedules
Room Description:	To accommodate 30 pupils
Special Requirements:	Care should be taken to ensure that the area where food can be prepared meets all Health and Safety requirements The quiet room to have low stimulation decor
Relationship to other rooms:	Adjacent to Nursery toilets Doors with vision panels to give access to a secure dedicated external play area Will have own external entrance Glazed viewing panels in doors
Finishes:	Walls –resistant to wear, non abrasive, painted Vertical blinds to windows excluding viewing panels Floor - Anti-static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light. Waterproof slip resistant in wet area (approximately 30% of classroom floor area) Ceiling – Minimum height 2.7m
Fixtures:	750mm wide 600mm high continuous worktop to one wall with lockable door storage and lockable door fronted tray units below, knee space for 5 pupils between storage. One suitable for wheelchair users Continuous wall cupboard storage above worktop, including 1 lockable and 1 open bookcase 600 mm wide 900 mm high worktop with storage under, 600mm wide cooker with double oven and ceramic top and suitably guarded, washing machine, tumble dryer, refrigerator, dishwasher and microwave oven. Continuous lockable wall cupboard storage units above worktop. Wash hand basin, suitable for use by children and the wheelchair users, with splash back, hot and cold water and hand drying facilities 2 No. large, deep sinks with drainers and splash backs with hot and cold water supplies including mains supply (one in 900mm, one in 600mm high worktops) Minimum bowl size 460 x 380 x200mm Hand drying facilities Fittings to suit use by nursery children Framed, self healing, fire resistant pin boarding, some at child height. Min. area 10m ² 'Parents' notice/information board at entry point 1 No. cooler drinking fountain with bottle filling attachment, suitable for use by pupils and wheelchair users
Provisions:	All M&E items, Furniture and Equipment listed below and listed

in Fixtures above will have a suitably rated and configured power outlet/spur unit

1 No. electrically operated clock

Wall wash luminaries at 1m centres along one wall to highlight displays

Dado trunking to one full wall with power and network outlets

1 No. Telephone handset

Panic alarm

6 No. Network/voice/data points around the room within perimeter dado trunking, including above the low level worktop

All with associated power outlets

See Section E.2 for power outlets

FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services in teaching area and floor box

Infrastructure for sound field system

Additional Requirements

Window Essential

Natural ventilation Essential

Dim out blinds Essential

Furniture:

6 No. fully welded semi circular tables 1000mm diam. Height to suit age groups

6 No. fully welded double desks 1200 x 600mm heights to suit age groups

30 No. child chairs, various colours, to suit age group

1 No. double desk, adjustable and suitable for wheelchair users

5 No. operator chairs adjustable to suit adult and child age groups

2 No. teacher/operator chairs

1 No. adult easy chair

Movable/portable roller whiteboard min 3.3m². Must pass through doorways.

2 No. trolleys – 18 tray units. Trays to be supplied in a variety of colours and depths

1 No. double sided mobile big book trolley

10 No. bean bag cushions

1 No. 4 drawer filing cabinet

Waste bin(s)

Waste food bin(s)

1 No. TV/video stand for 28" wide screen TV

Easy stack rest bed

House corner unit, with low level windows, plus play furniture

Sand and water tray and equipment set

2 No. painting dryer unit

Dry art trolley

Wet art trolley

3 No. low level movable screens. (Approx. size 900mm high, 1500mm long)

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P C 44 PI ROOM DATA SHEET P C 57 PI

Room Name:	Playgroup Room
Required Floor Areas:	44m ² or 57m ² as indicated on the Accommodation Schedules
Room Description:	To accommodate small children
Special Requirements:	Care should be taken to ensure that the area where food can be prepared meets all Health and Safety requirements
Relationship to other rooms:	Adjacent to Nursery toilets Doors with vision panels to give access to a secure dedicated external play area Glazed viewing panels in doors
Finishes:	Walls –resistant to wear, painted Vertical blinds to windows excluding viewing panels Floor – Anti-static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light. Waterproof non slip in wet area (approximately 30% of classroom floor area) Ceiling – Minimum height 2.7m
Fixtures:	750mm wide 600mm high continuous worktop to suit two-person computer station with lockable door storage and lockable door fronted tray units below, knee space for 2 infants between storage. One suitable for wheelchair user. Continuous wall cupboard storage above worktop, including 1 lockable and 1 open bookcase 600 mm wide 900 mm high worktop with storage under, 600mm wide cooker with double oven and ceramic top and suitably guarded, washing machine, tumble dryer, refrigerator, dishwasher and microwave oven. Continuous lockable wall cupboard storage units above worktop. Wash hand basin, suitable for use by children and the wheelchair users, with splash back, hot and cold water and hand drying facilities 2 No. large, deep sinks with drainers and splash backs with hot and cold water supplies including mains supply (one in 900mm, one in 600mm high worktops) Minimum bowl size 460 x 380 x 200mm Hand drying facilities Fittings to suit use by nursery children Framed, self healing, fire resistant pin boarding, some at child height. Min. area 10m ² 'Parents' notice/information board at entry point 1 No. cooler drinking fountain with bottle filling attachment, suitable for use by pupils and wheelchair users
Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock 5 m of track with wall wash luminaries at 1m centres to highlight

displays
 Dado trunking to at least one full wall with power and network outlets
 1 No. Telephone handset
 Panic alarm
 Infrastructure for sound field system
 6 No. Network/voice/data points around the room within perimeter dado trunking including above the low level worktop
 All with associated power outlets
 See Section E.2 for power outlets
 FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services in teaching area and floor box

Additional Requirements

Window	Essential
Natural ventilation	Essential
Dim out blinds	Essential

Furniture:

5 No. fully welded semi circular tables 1000mm diam. Height to suit age groups
 5 No. fully welded double desks 1200 x 600mm heights to suit age groups
 20 No. child chairs, various colours, to suit age group
 1 No. double desk, adjustable and suitable for wheelchair users
 2 No. operator chairs adjustable to suit adult and child age groups
 2 No. teacher/operator chairs
 1 No. adult easy chair
 Movable/portable roller whiteboard min 3.3m². Must pass through doorways.
 2 No. trolleys – 18 tray units. Trays to be supplied in a variety of colours and depths
 1 No. double sided mobile big book trolley
 8 No. bean bag cushions
 1 No. 4 drawer filing cabinet
 1 No. TV/video stand for 28" wide screen TV
 Easy stack rest bed
 House corner unit, with low level windows, plus play furniture
 Sand and water tray and equipment set
 2 No. painting dryer units
 Dry art trolley
 Wet art trolley

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P C 15 PS

ROOM DATA SHEET P C 11 PS

Room Name:	Pupil Support	
Required Floor Area:	11m ² or 15m ² as indicated in the Accommodation Schedules	
Special Requirements:	Capable of overhead and data projection Glazed viewing panel in doors and glazed screen to one wall. Safety glass to all glazed areas	
Finishes:	Walls –resistant to wear, painted Vertical blinds to windows, excluding viewing panels Floor – Anti-static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light Ceiling – Minimum height 2.7m	
Fixtures:	750mm wide, 725mm high continuous worktop, on cantilevered brackets, to one wall with lockable 2 drawer filing cabinet storage under. Knee space for 2 pupils between storage, one suitable for wheelchair user. Wall cupboard storage above worktop, including 2 lockable. Whiteboard min 4m ² with OHP Screen Framed, self healing, fire resistant pin boarding, some at child height. Min. area 5m ²	
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock Illumination of Whiteboard Dado trunking above worktop with power and network outlets 1 No. Telephone handset 4 No. Network/voice/data points with associated power outlets within perimeter dado trunking See Section E.2 for power outlets Panic alarm Hearing induction loop FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services in teaching area.	
Additional Requirements	Blackout Window Natural ventilation	Essential Desirable Desirable
Furniture:	2 No. double desks, height adjustable and suitable for wheelchair users 4 No. pupil chairs to suit age group 2 No. operator chairs adjustable to suit adult and child age group 1 No. teacher/operator chair 1 No. 4 drawer filing cabinet 1 No. double sided bookcase with display ends 1 No. trolleys – 18 tray unit. Trays to be supplied in a variety of colours and depths	

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET – P H 40 Re/A

Room Name:	Adult Resource/Library Area	
Required Floor Area:	40m ²	
Finishes:	<p>Walls – resistant to wear, painted Vertical blinds to all windows excluding viewing panels Floor – Anti static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light. Waterproof, slip resistant in wet area, approximately 30% of floor area Ceiling – Minimum height 2.7m</p>	
Fixtures:	<p>750mm wide 725mm high continuous worktop on cantilevered brackets to one wall with lockable door storage and tray units below, knee spaces for 5 adults between storage. One suitable for the wheelchair users Continuous wall cupboard storage above worktop, including 1 lockable and 1 open bookcase Adjustable library shelving for a min. of 700 library books – flexible for carrying books, magazines, etc. Wet Area – Adjustable height sink unit, suitable for the wheelchair users and for use by adults, with drainer and splash back and hot and cold water supply including mains supply. Hand drying facilities 2 No. wall cupboard storage units above worktop. One lockable Framed, self healing, fire resistant pin boarding. Min. area 10m² 1 No. overhead projection screen</p>	
Provisions:	<p>All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services in teaching area and floor box Lighting to suit VDU terminals Dado trunking to one wall containing power and network points 1 No. Telephone handset 15 No. Network/voice/data points, around room within perimeter dado trunking including above worktop, adjacent to teaching area and in floor box. All with associated power outlets See Section E.2 for power outlets Power and LCD link to ceiling projector mounting point Hearing induction loop Panic alarm</p>	
Additional Requirements	Window	Essential
	Natural ventilation	Essential
	Dim out blinds	Essential
Furniture:	<p>3 No freestanding bookshelves 900 wide and double sided 3 No. double desks 5 No. operator chairs adjustable to suit adults 4 No. visitors chairs</p>	

8 No. adult easy chairs
2 No coffee tables
3 No. 4 drawer filing cabinet
1 No. TV/video stand for 28" wide screen TV

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET – P H 70 Re/c

Room Name:	Resource/Library Area
Required Floor Area:	70m ²
Special Requirements:	Adjacent to and accessible from classrooms
Finishes:	Walls – resistant to wear, painted Blinds to all windows excluding viewing panels Floor – Anti static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light. Waterproof, slip resistant in wet area, approximately 30% of floor area Ceiling – Minimum height 2.7m
Fixtures:	750mm wide 725mm high continuous worktop on cantilevered brackets to one wall with lockable door storage and tray units below, knee spaces for 5 pupils between storage. One suitable for wheelchair user. Continuous wall cupboard storage above worktop, including 1 lockable and 1 open bookcase Adjustable library shelving for a min. of 1000 library books – flexible for carrying books, magazines, etc. Wet Area – Adjustable height sink unit, suitable for the wheelchair users and for use by pupils, with drainer and splash back and hot and cold water supply including mains supply. Hand drying facilities 600 mm wide 900 mm high worktop with storage under, 600mm wide cooker, suitably guarded, with double oven (one fan assisted) and ceramic top, refrigerator and microwave oven. 2 No. wall cupboard storage units above worktop. One lockable Wash hand basin, suitable for the wheelchair users and for use by pupils, with splash back, hot and cold water and hand drying facilities Framed, self healing, fire resistant pin boarding. Min. area 10m ² fixed at two heights 20 No. Apron hooks 1 No. overhead projection screen 1 No. cooler drinking fountain with bottle filling attachment, suitable for use by pupils and wheelchair users
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services in teaching area and floor box Lighting to suit VDU terminals Dado trunking to one wall containing power and network points 1 No. Telephone handset 10 No. Network/voice/data points, around room within perimeter dado trunking including above worktop, adjacent to teaching area and in floor box. All with associated power outlets 10 No. Network/voice/data points, within perimeter dado trunking.

All with associated power outlets
 See Section E.2 for power outlets
 Cooker to have key operated switch
 Power and LCD link to ceiling projector mounting point
 Hearing induction loop
 Panic alarm

Additional Requirements

Window	Essential
Natural ventilation	Desirable
Dim out blinds	Essential

Furniture:

6 No. fully welded, stackable, double desks 1200 x 600 three different heights to suit age groups
 1 No. double desk, adjustable and suitable for wheelchair users
 12 No pupil chairs to suit age groups
 5 No. operator chairs adjustable to suit adult and child age groups
 2 No. teacher/operator chairs
 1 No. adult easy chair
 Movable/portable roller whiteboard min 3.3m². Must pass through doorways.
 4 No. trolleys – 18 tray units. Trays to be supplied in a variety of colours and depths
 2 No. 1200 x 750 x 725mm high technology tables with power supply unit capable of delivering low voltage and fitted with table clamps
 1 No. science trolley
 1 No. technology trolley
 1 No. double sided mobile big book trolley
 2 No. 1000 x 300 x 900mm high bookcases
 5 No. bean bag cushions
 1 No. 4 drawer filing cabinet
 1 No. TV/video stand for 28" wide screen TV

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET – P H 77 Re

Room Name:	Resource/Library Area
Required Floor Area:	77m²
Special Requirements:	Adjacent to and accessible from classrooms
Finishes:	Walls –resistant to wear, painted Blinds to all windows excluding viewing panels Floor – Anti static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light. Waterproof, slip resistant in wet area, approximately 30% of floor area Ceiling – Minimum height 2.7m
Fixtures:	750mm wide 725mm high continuous worktop on cantilevered brackets to one wall with lockable door storage and tray units below, knee spaces for 5 pupils between storage. One suitable for wheelchair user. Continuous wall cupboard storage above worktop, including 1 lockable and 1 open bookcase Adjustable library shelving for a min. of 1000 library books flexible for carrying books, magazines, etc. Wet Area – Adjustable height sink unit, suitable for the wheelchair users and for use by pupils, with large sink, double drainer and splash back and hot and cold water supply including mains supply. Hand drying facilities 1.5m long, adjustable height, free standing worktop, suitable for use by the wheelchair users. To be parked adjacent to sink unit 2 No. wall cupboard storage units above sink unit. One lockable Framed, self healing, fire resistant pin boarding. Min.area 10m ² fixed at two heights 20 No. Apron hooks 1 No. overhead projection screen 1 No. cooler drinking fountain with bottle filling attachment, suitable for use by pupils and wheelchair users
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services in teaching area and floor box Lighting to suit VDU terminals Dado trunking to one wall containing power and network points 1 No. Telephone handset 10 No. Network/voice/data points, around room within perimeter dado trunking including above worktop, adjacent to teaching area and in floor box. All with associated power outlets 10 No. Network/voice/data points, within perimeter dado trunking. All with associated power outlets See Section E.2 for power outlets Power and LCD link to ceiling projector mounting point Hearing induction loop Panic alarm

Additional Requirements

Window

Natural ventilation

Dim out blinds

Essential

Desirable

Essential

Furniture:

6 No. fully welded, stackable, double desks 1200 x 600 three different heights to suit age groups

1 No. double desk, adjustable and suitable for wheelchair users

12 No pupil chairs to suit age groups

5 No. operator chairs adjustable to suit adult and child age groups

2 No. teacher/operator chairs

1 No. adult easy chair

Movable/portable roller whiteboard min 3.3m². Must pass through doorways.

4 No. trolleys – 18 tray units. Trays to be supplied in a variety of colours and depths

2 No. 1200 x 750 x 725mm high technology tables with power supply unit capable of delivering low voltage and fitted with table clamps

1 No. science trolley

1 No. technology trolley

1 No. double sided mobile

big book trolley

2 No. 1000 x 300 x 900mm high bookcases

5 No. bean bag cushions

1 No. 4 drawer filing cabinet

1 No. TV/video stand for 28" wide screen TV

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET – P H 90 Re

Room Name:	Resource/Library Area
Required Floor Area:	90m²
Special Requirements:	Adjacent to and accessible from classrooms
Finishes:	Walls –resistant to wear, painted Blinds to all windows excluding viewing panels Floor – Anti static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light. Waterproof, slip resistant in wet area, approximately 30% of floor area Ceiling – Minimum height 2.7m
Fixtures:	750mm wide 725mm high continuous worktop on cantilevered brackets to one wall with lockable door storage and tray units below, knee spaces for 5 pupils between storage. One suitable for wheelchair users Continuous wall cupboard storage above worktop, including 1 lockable and 1 open bookcase Adjustable library shelving for a min. of 1000 library books flexible for carrying books, magazines, etc. Wet Area – Adjustable height sink unit, suitable for the wheelchair users and for use by pupils, with large sink, double drainer and splash back and hot and cold water supply including mains supply. Hand drying facilities 1.5m long, adjustable height, free standing worktop, suitable for use by the wheelchair users. To be parked adjacent to sink unit 2 No. wall cupboard storage units above sink unit. One lockable Framed, self healing, fire resistant pin boarding. Min. area 10m ² fixed at two heights 20 No. Apron hooks 1 No. overhead projection screen 1 No. cooler drinking fountain with bottle filling attachment, suitable for use by pupils and wheelchair users
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services in teaching area and floor box Lighting to suit VDU terminals Dado trunking to one wall containing power and network points 1 No. Telephone handset 10 No Network/voice/data points, around room within perimeter dado trunking including above worktop, adjacent to teaching area and in floor box. All with associated power outlets 10 No. Network/voice/data points, within perimeter dado trunking. All with associated power outlets See Section E.2 for power outlets Power and LCD link to ceiling projector mounting point Hearing induction loop Panic alarm

Additional Requirements

Window	Essential
Natural ventilation	Desirable
Dim out blinds	Essential

Furniture:

8 No. fully welded, stackable, double desks 1200 x 600 three different heights to suit age groups
1 No. double desk, adjustable and suitable for wheelchair users
15 No pupil chairs to suit age groups
5 No. operator chairs adjustable to suit adult and child age groups
2 No. teacher/operator chairs
1 No. adult easy chair
Movable/portable roller whiteboard min 3.3m². Must pass through doorways.
5 No. trolleys – 18 tray units. Trays to be supplied in a variety of colours and depths
2 No. 1200 x 750 x 725mm high technology tables with power supply unit capable of delivering low voltage and fitted with table clamps
1 No. science trolley
1 No. technology trolley
1 No. double sided mobile big book trolley
3 No. 1000 x 300 x 900mm high bookcases
6 No. bean bag cushions
1 No. 4 drawer filing cabinet
1 No. TV/video stand for 28" wide screen TV

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET – P H 134 Re

Room Name:	Resource/Library Area
Required Floor Area:	134m ² or as indicated in the Accommodation Schedules
Special Requirements:	Adjacent to and accessible from classrooms
Finishes:	Walls –resistant to wear, painted Blinds to all windows excluding viewing panels Floor – Anti static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light. Waterproof, slip resistant in wet area, approximately 30% of floor area Ceiling – Minimum height 2.7m
Fixtures:	750mm wide 725mm high continuous worktop on cantilevered brackets to one wall with lockable door storage and tray units below, knee spaces for 5 pupils between storage. One suitable for wheelchair user Continuous wall cupboard storage above worktop, including 1 lockable and 1 open bookcase Adjustable library shelving for a min. of 1000 library books flexible for carrying books, magazines, etc. Wet Area – Adjustable height sink unit, suitable for the wheelchair users and for use by pupils, with large sink, double drainer and splash back and hot and cold water supply including mains supply. Hand drying facilities 1.5m long, adjustable height, free standing worktop, suitable for use by the wheelchair users. To be parked adjacent to sink unit 2 No. wall cupboard storage units above sink unit. One lockable Framed, self healing, fire resistant pin boarding. Min. area 10m ² , fixed at two heights. 20 No. Apron hooks 1 No. overhead projection screen 1 No. cooler drinking fountain with bottle filling attachment, suitable for use by pupils and wheelchair users
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services in teaching area and floor box Lighting to suit VDU terminals Dado trunking to at least one wall containing power and network points 1 No. Telephone handset 10 No. Network/voice/data points, around room within perimeter dado trunking including above worktop, adjacent to teaching area and in floor box. All with associated power outlets 10 No. Network/voice/data points, within perimeter dado trunking. All with associated power outlets See Section E.2 for power outlets Cooker to have key operated switch Power and LCD link to ceiling projector mounting point

	Hearing induction loop	
	Panic alarm	
Additional Requirements	Window	Essential
	Natural ventilation	Desirable
	Dim out blinds	Essential
Furniture:	8 No. fully welded, stackable, double desks 1200 x 600 three different heights to suit age groups 1 No. double desk, adjustable and suitable for wheelchair users 15 No pupil chairs to suit age groups 5 No. operator chairs adjustable to suit adult and child age groups 2 No. teacher/operator chairs 1 No. adult easy chair Movable/portable roller whiteboard min 3.3m ² . Must pass through doorways. 5 No. trolleys – 18 tray units. Trays to be supplied in a variety of colours and depths 2 No. 1200 x 750 x 725mm high technology tables with power supply unit capable of delivering low voltage and fitted with table clamps 1 No. science trolley 1 No. technology trolley 1 No. double sided mobile big book trolley 3 No. 1000 x 300 x 900mm high bookcases 6 No. bean bag cushions 1 No. 4 drawer filing cabinet 1 No. TV/video stand for 28” wide screen TV	

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P H 120 Re

Room Name:	Library
Required floor area:	120m² to include the following areas: Adult lending Children's' lending Study area Newspaper and periodical area Circulation Office/Store
Room Layout:	The Library and the associated General Purposes Room and the ICT Suite is for both school and public use. The public and school pupils will not use the areas at the same time Library must be positioned to allow the area to be secured from the rest of the New Project Facility after School Hours, as well as being accessed from the classrooms in the main New Project Facility area during School Hours. The General Purpose and ICT/Lifelong Learning areas should be close to the main library area but designed and located so that they may be converted to two individual classrooms at a future date. They should be accessible to the public but able to be secured from the rest of the New Project Facility when the public are present. Shelf stock 7000 volumes – 4000 adult and 3000 children
Finishes:	Walls –resistant to wear, painted Vertical blinds to windows excluding viewing panels Glazed viewing screen to circulation route Floor – Anti-static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light Ceiling – Minimum height 2.900m. (excluding combs)
Fixtures:	10m ² minimum area framed self healing, fire resistant pin Board, fixed at two heights. Library counter suitable for use by the wheelchair users and situated to ensure adequate control of the area. To accommodate cash register facilities and 2 computer stations
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services in teaching area and floor box 3 No. Network /voice/data points, associated with reception desk All with associated power outlets 5 No. Network /voice/data points available for use, by the community, at workstations in the study area All with associated power outlets 1 No. Telephone handset with direct dial facilities FAX facilities at library counter See Section E.2 for power outlets Hearing induction loop at reception desk Panic alarm

Additional Requirements:	Daylight – Window – Natural ventilation –	Essential Essential Desirable
Furniture:	<p>All to be designed and supplied by specialist library supplier and to the approval of the Authority’s Representative</p> <p>Photocopying facilities for use by staff, pupils and for paid use by the public</p> <p>Library shelving system to cater for the volumes as detailed herein and to include paper back, magazine, newspaper and leaflet spinners, video and DVD display, returns shelving, large books section, reference section</p> <p>The book shelving to be modular, steel cantilevered. To a colour agreed with the Authority’s Representative.</p> <p>Island units will be mounted on casters and fitted with a range of end panels both hessian covered and slat wall.</p> <p>Each flat shelf to have a book support and each bay to have one display shelf</p> <p>Wall mounted shelving to be no more than 1.8m high in adult areas and 1.5m high in children’s areas.</p> <p>Island shelving to be no more than 1.5m high in adult areas and 1.2m high in children’s areas</p> <p>Text inserts to be provided for bay guidance.</p> <p>2 No. 1100mm diam coffee tables</p> <p>6 No. easy chairs with arms</p> <p>Study tables for 6. All tables to be welded tubular framed and to have rounded edges. At least one table to be adjustable for wheelchair users</p> <p>6 No. upholstered chairs</p> <p>4 No. fully welded computer station desks with cable management and storage for under desk computer. At least 1 to be adjustable for wheelchair users for study area</p> <p>6 No. operator Chairs. (2 associated with the library counter)</p> <p>2 No. book trolleys</p> <p>1 No. TV/video trolleys for 28” widescreen TV</p> <p>2 No. kinder boxes, reading retreat on casters</p> <p>1 No. kinder tables</p> <p>4 No. small chairs suitable for age group</p> <p>2 No. bean bag cushions</p> <p>Reading rug</p> <p>2m² min framed, self healing, Hessian covered, fire resistant pin board. Mounted at an appropriate height in the children’s area</p>	
Room Name:	Library Office and Store	
Required Floor Area:	10m ²	
Special Requirements:	<p>Must be located within its department</p> <p>Glazed viewing panel in solid core door</p> <p>Safe for the secure storage of small sums of money</p>	
Room Layout:	Glazed window to allow vision into main library area	
Finishes:	<p>Walls –resistant to wear, painted.</p> <p>Vertical blinds to all windows</p> <p>Floor - Anti-static carpet with a warranty against edge ravel,</p>	

delaminating and zippering and with product lifetime colour fastness to light.
Slip resistant, waterproof at sink area
Ceiling - Minimum height 2.7m.

Fixtures:

Adjustable shelving, 6 shelves high 300mm wide to take approximately 500 items
Framed, self-healing fire resistant pin boarding. Min area 1.5m²
3 coat pegs.
750mm wide 900mm high continuous worktop on cantilevered brackets to one wall with lockable door storage and tray units below, knee spaces for 1 person between storage.
Continuous wall cupboard storage above worktop, including 1 lockable and 1 open bookcase
Refrigerator and microwave oven
Sink with drainer and splash back with hot and cold water, including mains supply
Hand drying facilities

M&E Provisions:

All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit
2 No. Network /voice/data points associated with workstations.
All with associated power outlets
1 No. Telephone handset with direct dial facilities
See Section E.2 for power outlets
1 No. electrically operated clock
FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services in teaching area and floor box
Panic alarms
Fire Detection & Alarm to BS 5389 Part 1 Cat L3

Additional Requirements:

Window – Desirable
Natural ventilation – Desirable

Furniture: (Provisional)

1 No. workstation including desk and lockable pedestal drawer units
1 No. operator Chairs
1 No. 1400 x 900 work table
2 No. upholstered chairs
1 No. 4 Drawer Filing Cabinets
1 No. book trolley

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P H 140 MP

Room Name:	Multi-Purpose Hall	
Required Floor Area:	140m ²	
Special Requirements:	A space for school assemblies, PE and social/entertainment events and badminton No projections at roof height that can retain balls etc. To open on to the dining area. (This will act as an access from the dining area to the stage for the hall)-excluding Kinlochleven A clear wall area to be suitable for ball rebound activities 140m ² halls to be 9.1m x 15.4m.	
Finishes:	Walls –non abrasive Floor –Hardwood. for indoor sports Ceiling – Light in tone. Impact resistant. Provision for fixings for suspended equipment listed below. Min. clear ceiling height 6.1m.	
Fixtures:	PE fixtures should be to a quality approved by the Authority's Representative 1 No. set of swing out activity bars 1 No. pair of wall mounted braces for volleyball 1 No. pair of combined badminton/tennis games posts and fixings 1 No. pair of netball net posts 1 No. pair of fixed practice basketball nets and boards 1 No. removable whiteboard on fixed high level mounting system. min. area 1m ² Floor markings for badminton and basketball in recognised international colour codes Demountable stage, with access for wheelchair user. To full width of hall and at least 5m deep. Full height stage curtains	
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock, protected against impact damage FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services All containment flush with building fabric 6 No. Network/voice/data points, one at each end and one in the centre of long wall, with associated power outlets. See Section E.2 for power outlets Hearing induction loop Sound system wired and fitted to deliver music and speech and incorporating radio microphones	
Additional Requirements:	Blackout Daylight Natural ventilation	Essential Desirable Desirable
Furniture:	Foldable, linkable, stackable, upholstered seats with arms, to provide full hall seating, plus chair trolley(s)	

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET - P H 160 MP

Room Name:	Multi-Purpose Hall	
Required Floor Area:	160m ²	
Special Requirements:	Designed as a space for school assemblies, PE and social/entertainment events and badminton No projections at roof height that can retain balls etc. To open on to the dining area. (This will act as an access from the dining area to the stage for the hall) A clear wall area to be suitable for ball rebound activities	
Finishes:	Walls – non abrasive. Floor –Hardwood for indoor sports Ceiling – Light in tone. Impact resistant. Provision for fixings for suspended equipment listed below. Min. clear ceiling height 6.1m.	
Fixtures:	PE fixtures should be to a quality approved by the Authority's Representative 1 No. set of swing out activity bars 1 No. pair of wall mounted braces for volleyball 1 No. pair of combined badminton/tennis games posts and fixings 1 No. pair of netball net posts 1 No. pair of fixed practice basketball nets and boards 1 No. removable whiteboard on fixed high level mounting system. min. area 1m2 Floor markings for badminton and basketball in recognised international colour codes Demountable stage, with access for wheelchair user. To full width of hall and at least 5m deep. Full height stage curtains Full width power operated retractable bleacher seating with upholstered seats with arms suitable for a theatrical venue. When in the stacked position the seating should present a flat surface to the hall	
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock, protected against impact damage FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services. All containment flush with building fabric 6 No. Network/voice/data points, one at each end and one in the centre of long wall, with associated power outlets. See Section E.2 for power outlets Hearing induction loop Sound system wired and fitted to deliver music and speech and incorporating radio microphones	
Additional Requirements:	Blackout Windows Natural ventilation	Essential Desirable Desirable
Furniture:	Foldable, linkable, stackable, upholstered seats with arms, to	

provide full hall seating, plus chair trolley(s)

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P H 266 MP

Room Name:	Multi-Purpose Hall - Double size (with bleacher seating)
Required Floor Area:	266m ²
Special Requirements:	<p>The space should be designed to be divided by an acoustic partition to give two halls of equal size</p> <p>A space for school assemblies, PE and social/entertainment events and badminton</p> <p>No projections at roof height that can retain balls etc.</p> <p>One of the halls will be used as the dining area for the New Project Facility.</p> <p>Each hall will have bleacher seating capable of being used in tandem or independently</p> <p>A clear wall area to be suitable for ball rebound activities</p>
Finishes:	<p>Walls – non abrasive</p> <p>Floor –Hardwood for indoor sports but to be capable of supporting the extended bleacher seating</p> <p>Ceiling – Light in tone. Impact resistant. Provision for fixings for suspended equipment listed below.</p> <p>Min. clear ceiling height 6.1m.</p>
Fixtures:	<p>PE fixtures should be to a quality approved by the Authority's Representative</p> <p>1 No. set of swing out activity bars</p> <p>2 No. pair of wall mounted braces for volleyball</p> <p>2 No. pair of combined badminton/tennis games posts and fixings</p> <p>2 No. pair of netball net posts</p> <p>2 No. pair of fixed practice basketball nets and boards</p> <p>2 No. removable whiteboard on fixed high level mounting system. min. area 1m²</p> <p>Floor markings for badminton and basketball in recognised international colour codes</p> <p>Demountable stage, with access for wheelchair user. To full width of hall and at least 5m deep.</p> <p>Full height stage curtains</p> <p>Full width power operated retractable bleacher seating with upholstered seats with arms suitable for a theatrical venue. When in the stacked position the seating should present a flat surface to the hall</p>
M&E Provisions:	<p>All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit</p> <p>2 No. electrically operated clocks, protected against impact damage</p> <p>2 No. FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services</p> <p>All containment flush with building fabric</p> <p>12 No. Network/voice/data points, one at each end and one in the centre of long wall of each of the halls, with associated power outlets.</p> <p>See Section E.2 for power outlets</p> <p>Hearing induction loop</p> <p>Sound system wired and fitted to deliver music and speech and incorporating radio microphones</p>

Additional Requirements:

Blackout
Daylight
Natural ventilation

Essential
Desirable
Desirable

Furniture:

Foldable, linkable, stackable, upholstered seats with arms, to provide full hall seating capacity when bleacher seating is in place, plus chair trolley(s)
Folding rollaway dining tables and chairs to suit 144 pupils and of height to suit age groups. Some suitable for wheelchair users.
Dump bins, service carts, tray/cutlery carts, dirty tray cart returns

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P H 60 Din

ROOM DATA SHEET P H 65 Din

ROOM DATA SHEET P H 70 Din

Room Name:	General Purpose/Dining Room	
Required Floor Area:	60m ² , 65m ² , and 70m ² as indicated on Accommodation Schedules	
Room Description:	Multi-purpose space	
Special Requirements:	Modern cafeteria layout should be considered With independent access but also accessible from Multi Purpose Hall Access to toilet facilities	
Finishes:	Walls – resistant to wear, painted Floor –slip resistant. Ceiling – minimum height 3.0m	
Fixtures:	Adjustable height sink unit, suitable for the wheelchair users and for use by pupils, with large sink, double drainer and splash back and hot and cold water supply including mains supply. Hand drying facilities 600 mm wide 900 mm high worktop with lockable storage under. 600mm wide cooker, suitably guarded, with double oven (one fan assisted) and ceramic top. Cooker main switch to be key operated Lockable refrigerator and microwave oven. Continuous lockable, wall cupboard storage units above worktop. Wash hand basin, suitable for the wheelchair users and for use by pupils, with splash back, hot and cold water and hand drying facilities Framed, self healing, fire resistant pin boarding. Min area 10m ²	
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock Dado trunking to walls containing power and network points. 20 No. network/voice/data points around room to service pupils' desks, teaching station and in floor box. All with associated power outlets FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services. See Section E.2 for power outlets Hearing induction loop Sound system to deliver music and speech and incorporating radio microphones Power and LCD link to ceiling projector mounting point and floor box	
Additional Requirements:	Daylight	Essential
	Window	Essential
	Natural ventilation	Desirable
Furniture:	Folding rollaway dining tables and chairs to suit 60 pupils in the 60m ² and 65m ² rooms and 72 in the 70m ² room and of height to suit age groups. Some suitable for wheelchair users.	

Dump bins, service carts, tray/cutlery carts, dirty tray cart returns

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET - P H XX Cir

Room Name:	Circulation Areas
Required Floor Area:	Area dependant on New Project Facility layout
Room Description:	Main circulation
Fitments	Framed, self healing, fire resistant notice boards to be covered with clear fire resistant tamper proof lockable door. Min of 1m ² per 10m run of corridor 1 No. (2 No. for Inshes) cooler drinking fountain(s) with bottle filling attachment, suitable for use by pupils and wheelchair users.
Finishes:	Walls – resistant to wear, painted. Floor –slip resistant. Ceiling - Minimum height 2.7m.
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit See Section E.2 for power outlets

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET – P A 22 To/Nu

ROOM DATA SHEET – P A 23 To/Nu

ROOM DATA SHEET – P A 26 To/Nu

ROOM DATA SHEET – P A 30 To/Nu

ROOM DATA SHEET – P A 44 To/Nu

Room Name:	Nursery/Playgroup Cloakroom, Toilets
Guidance Floor Area:	22m ² , 23m ² , 26m ² , 30m ² , 44m ² or as indicated in Accommodation Schedules
Room Description:	Cloakroom – For use by Nursery/Playgroup pupils Toilets –Unisex for Nursery/Playgroup pupils Disabled for staff and Nursery/Playgroup pupils and to allow wheelchair toilet use.
Special Requirements:	Toilet –Fittings to minimise use of water Suitable for supervision
Relationship to other rooms:	Cloakroom -Alcove off, or adjacent to related Nursery/Playgroup Toilets - accessible from Nursery/Playgroup but not therein
Room Finishes: Cloakroom – Toilet –	Walls: resistant to wear, painted Walls: resistant to wear, wipeable finish, waterproof to 1.5m above floor level. Smooth and wipeable above this. Floor: Slip resistant, wipeable
Fixtures:	Cloakroom -Flexible coat hooks at appropriate level Bench seating with open box storage underneath to take outdoor footwear Framed, self healing, fire resistant notice boards to be covered with clear fire resistant tamper proof lockable door. Min area 2m ² Toilets - Low WCs in nursery toilet Low level doors to aid supervision Hand drying facilities Locks capable of being opened externally WC cubicles and accessories. wash hand basin. Vanity units Tamper resistant mirrors Soap dispensers at pupil height Hand drying facilities at pupil height Tamper resistant plumbing systems Sanitary fittings suitable for use by small children. including easy use taps Disabled toilet equipped to wheelchair user standard One pull down nappy changer to disabled toilet Storage accommodation for changing materials and spare clothes

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P A 2 To

Room Name:	Toilet
Required Floor Area:	2m ²
Finishes:	Toilet – Walls – resistant to wear. Floor – Slip resistant. Ceiling –moisture resistant, minimum height 2.4m
Fixtures:	Toilets – Hand drying facilities WCs Wash hand basin Tamper resistant mirrors Soap dispensers Tamper resistant plumbing systems Sanitary towel disposal system

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P A 10 To/St

ROOM DATA SHEET P A 20 To/St

Room Name:	Staff toilets/cloakroom	
Required Floor Area:	10m ² or 20m ² as indicated on Accommodation Schedules	
Special Requirements:	Staff toilets to be separate from pupils	
Finishes:	Toilet – Walls – resistant to wear. Obscure glass to windows Floor – Slip resistant. Ceiling –moisture resistant, minimum height 2.4m	
Fixtures:	Toilets – Hand drying facilities WCs and cubicles wash hand basin Vanity units Tamper resistant mirrors Soap dispensers Tamper resistant plumbing systems Anti scald protection on hot water Sanitary towel disposal system in female toilets Cloak area- One locker per classroom plus 5 for each New Project Facility. (Lockers to be banked to a maximum of three high) Changing bench associated with lockers Coat hanging rack with seat and high-level parcel shelf Framed, self healing, fire resistant pin boarding. Min area 1.5m ²	
Additional Requirements:	Window	Desirable
	Natural ventilation	Desirable

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P A 7 Sh

ROOM DATA SHEET P A 10 Sh

ROOM DATA SHEET P A 11 Sh

ROOM DATA SHEET P A 12 Sh

ROOM DATA SHEET P A 13 Sh

ROOM DATA SHEET P A 14 Sh

ROOM DATA SHEET P A 19 Sh

Room Name:	Shower rooms
Guidance Floor Area:	7m ² , 10m ² , 11m ² , 12m ² , 13m ² , 14m ² , 19m ² as indicated on the Accommodation Schedules
Special Requirements:	For Educational Services, Community Educational Services and Community Use. Fittings to minimise water use Should be adjacent to pupils cloakroom/toilet areas and the Gym hall
Finishes:	Walls – resistant to wear, waterproof Floor – non-slip, waterproof. Shower to be at lower level than dry areas Ceiling –minimum height 2.7m
Fixtures:	2 No shower cubicles Changing bench and coat hooks in dry area Tamper resistant mirrors Soap dispensers Tamper resistant plumbing system Fitments suitable for use by pupils

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P A 51 To/Pu

ROOM DATA SHEET P A 59 To/Pu

ROOM DATA SHEET P A 65 To/Pu

ROOM DATA SHEET P A 70 To/Pu

ROOM DATA SHEET P A 83 To/Pu

ROOM DATA SHEET P A 116 To/Pu

Room Name:	Pupil Cloakroom/Toilets
Guidance Floor Area:	51m ² , 59m ² , 65m ² , 70m ² , 83m ² , 116m ² as indicated on the Accommodation Schedules
Finishes:	Toilet – Walls – resistant to wear, and waterproof to 2m above floor level. Obscure glass to windows Floor – Non-slip. Ceiling – minimum height 2.7m
Fixtures:	Cloakroom – suitable coat racks with parcel shelves and benches with open box storage underneath to take outdoor footwear. Drying area for outdoor clothes with fittings Toilets – hand drying facilities at pupil height WC cubicles Wash hand basin Vanity units Tamper resistant mirrors at pupil height Soap dispensers at pupil height Tamper resistant fittings Sanitary fitments suitable for use by pupils

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P A 6 DTS

Room Name:	Disabled toilet and shower
Required Floor Area:	6m ²
Special Requirements:	Unisex use
Finishes:	Walls – resistant to wear, wipeable, waterproof to 1.5m above floor level Obscure glass to windows Floor - Non-slip, wipeable. Must allow for wheelchair access to shower Ceiling – minimum height 2.4m
Fixtures:	Toilets – Warm air and paper towel hand drying facilities WC Wash hand basin Shower with seat Tamper resistant mirrors Soap dispensers Sanitary fittings suitable for use by wheelchair users

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P A 6 A/T/S

ROOM DATA SHEET P A 8 A/T/S

Room Name:	Assisted Disabled toilet and shower
Required Floor Area:	6m ² or 8m ² or as indicated on the Accommodation Schedules
Special Requirements:	Unisex use
Finishes:	Walls – Resistant to wear, wipeable, waterproof to 1.5m above floor level. Obscure glass to windows Floor - Non-slip, wipeable. Must allow for wheelchair access to shower Ceiling –minimum height 2.4m
Fixtures:	Toilets – Warm air and paper towel hand drying facilities WC Wash hand basin Shower with seat Tamper resistant mirrors Soap dispensers Sanitary fittings suitable for use by wheelchair users

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET - P A 3 To/Dis

Room Name:	Disabled toilet [Adult]
Required Floor Area:	3m ²
Special Requirements:	Unisex use
Finishes:	Walls – Resistant to wear, wipeable, waterproof to 1.5m above floor level Obscure glass to windows Floor - Non-slip, wipeable. Must allow for wheelchair access to shower Ceiling – minimum height 2.4m
Fixtures:	WC with wash basin and accessories suitable for disabled with all necessary hand grips etc. Warm air and paper towel hand drying facilities. Tamper resistant mirrors Soap dispensers

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P A 4 Ser

ROOM DATA SHEET P A 5 Ser

Room Name;	IT Server Room
Required Floor Area:	4m ² , or 5m ² , as indicated on the Accommodation Schedules
Room Description:	Contains New Project Facility networking central facilities
Special Requirements:	Power for computers, hubs, telephone system, TV/Video system
Room Layout:	Two walls with benching to support computer equipment
Finishes:	Walls – resistant to wear, painted Floor – Non-static. Ceiling – Min height 2.7m
Fixtures:	4 No. 600mm wide shelves to one wall 1 No. 400mm wide fold down shelf on one wall. Height to suit requirement of equipment
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock VDU compliant lighting Dado trunking to at least two walls containing power and network points 1 No. Telephone handset 5 No. Network/voice/data points with associated power outlets Power outlets to meet equipment requirements See Section E.2 for power outlets

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET - P A 7 Kit

Room Name:	Kitchen
Required Floor Area:	7m²
Special Requirements:	Shared with Nursery rooms
Finishes:	Walls – resistant to wear, wipeable Floor – slip resistant, wipeable Ceiling - minimum height 2.7m.
Fixtures:	600mm wide, 900mm high continuous worktop with cupboard and drawer storage below. Double sink with hot and cold water, including mains supply double drainer and splash back. 600mm wide cooker, suitably guarded, with double oven (one fan assisted), grill and ceramic top. Refrigerator, dishwasher, microwave, washing machine, tumble dryer Wall cupboards above worktop.
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit See Section E.2 for power outlets
Additional Requirements:	Natural ventilation - Desirable

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET - P A 12 Kit

Room Name:	Kitchen
Required Floor Area:	12m ²
Special Requirements:	Integral with community rooms
Finishes:	Walls – resistant to wear, wipeable. Floor – slip resistant, wipeable. Ceiling - Minimum height 2.7m.
Fixtures:	600mm wide, 900mm high continuous worktop with cupboard and drawer storage below. Double sink with hot and cold water, including mains supply, double drainer and splash back. 600mm wide cooker, suitably guarded, with double oven (one fan assisted), grill and ceramic top. Refrigerator, dishwasher, microwave, hydro-boil or similar Wall cupboards above worktop.
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit See Section E.2 for power outlets
Additional Requirements:	Natural ventilation - Desirable

Table mounted food mixer 10 litres + bowls (20 litres. – Gaelic)
 Food mixer 5 litres with stainless steel bowls (Kenwood or equivalent)
 Gravity food slicer
 Stick blender/combi
 Hand blender
 Mobile utility carts – 3 tier
 Stainless steel microwave 1100/1400 watt
 Potato peeler machine
 Vegetable preparation m/c
 Waste disposal unit in sink (free standing – Gaelic)
 Stainless steel sandwich toaster – 6 slot
 Stainless steel bread toaster 4 slot
 Contact grill – twin
 Mobile vegetable preparation cart
 Dish caddie
 Food processor – 2 litres (Robot Coupe or equivalent)
 Mobile vegetable preparation cart
 Gaelic only – refrigerated salad/sandwich preparation unit
 Gaelic only – soup kettle
 Gaelic only – mobile racks

Room Name: **Dry Goods Store**
Required Floor Area: Included within the 50m².
Room Description: Storage of dry and tinned food stuffs.
 Dependant on kitchen design this store may have to accommodate crockery / equipment and disposables.
Room Layout: Close to other store rooms and external door for deliveries.
Finishes: Walls – resistant to wear, painted
 Floor – waterproof, wipeable, non-slip
Fixtures: Mobile four tier adjustable shelving/racking storage units.
 Allow for bin storage under.
 Stainless steel wall bench with mounted can opener attached.
M&E Provisions: All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit
 See Section E.2 for power outlets

Room Name: **Cleaners Storage**
Required Floor Area: Included within the 50m²
Room Description: To provide water supply and storage of chemicals and cleaning equipment.
Finishes; Walls – resistant to wear, painted
 Floor – wipeable, waterproof
Fixtures: Cleaners sink with hot and cold water
 Adjustable shelves – storage of chemicals
 Room for storage of brushes, mops, buckets etc, including wall brackets for brushes and mops.

M&E Provisions: All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit
See Section E.2 for power outlets

Room Name: **Fruit / Vegetable Store Room**

Required Floor Area: Included within the 50m²

Room Description: Storage of fruit and vegetables.

Finishes: Floor – resistant to wear
Walls – resistant to wear, painted

Fixtures: Adjustable shelving to walls.
Duck boarding to enable vegetable bags to be raised off floor.

M&E Provisions: All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit
See Section E.2 for power outlets

Room Name: **Staff Changing Facilities / Cooks Workspace**

Required Floor Area: Included within the 50m²

Room Description: To be usable for 2 members of staff and visiting officers.
For storage of clothes, changing and toilet facilities

Special Requirements: Toilet and wash hand basin off changing area

Finishes: Walls – resistant to wear, painted
Obscure glass to windows
Floors – Slip resistant, wipeable.
Ceiling – min height 2.4m

Fixtures: Hand drying facilities
Tamper resistant mirror
Sanitary towel disposal system
Soap dispensers.
3 No. number full height lockers with secure key system
Changing bench fitment
Framed, self healing, fire resistant pin board. Min area 1.5m²
5 No. coat hooks

M&E Provisions: All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit
1 No. electrically operated clock
1 No. Telephone handset with direct dial facilities
Fax facilities
1 No. Network/voice/data points with associated power outlets.
Panic alarm
See Section E.2 for power outlets

Additional Requirements: Window- Desirable
Natural ventilation- Desirable

Furniture: (Provisional)	2 No. Operator Chair 1 No. Office desk Adjustable shelving above desk. 2 drawer pedestal unit with lockable drawers
Room Name:	Servery
Required Floor Area:	Included within the 50m ²
Special Requirements:	Tray rail. Walls to be brightly coloured. Floor level to be raised to allow visibility to servery area for infants and wheelchair users. The returns hatch should be located alongside the servery area and next to dishwashing facility.
Room Layout:	Servery to be located between kitchen production area and dining area.
Finishes:	Walls – Solid construction internal and external, internal cladding in a wipeable surface. Floor – stain resistant, slip resistant, coved seamless floor.
Fixtures:	Servery counter with sneeze screen should include; Food service counter 2 No. Plain top ambient sections Ambient section to accept barrier rail system Bain Marie hotcupboard, w/screen to front Drop down tray slide Counter top multi tier ambient display stand Drop in chilled multi deck display unit Barrier rail system
Equipment:	2 No. cutlery/condiment trolleys 2 No. Tray pick up trolleys Mobile cash section with storage under Excluding cash collection tills
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock Appropriate number of dedicated data/power points at servery to accommodate cash register(s) with smart card modem facilities to allow for multiple point quick serve delivery Appropriate number of power outlets for equipment at servery area. Appropriate number of 3 phase power outlets. See Section E.2 for power outlets
Room Name:	Loading Bay
Requirements:	Loading bay for deliveries and collection separate from pupil areas. Separate external door for sole use of kitchen area. Provision of waste transfer bins. External lighting – motion sensor security light located appropriately to loading bay and bin stores. Wash down facilities Entrance door to have a ramp and low threshold to allow access for

delivery trolleys.

Floor standing food mixer 20 litres + bowls
 Food mixer 5 litres with stainless steel bowls (Kenwood or equivalent)
 Gravity food slicer
 Stick blender/combi
 2 No Hand blender
 Refrigerated salad/sandwiches preparation unit
 Mobile racks
 2 No. mobile utility carts – 3 tier
 Stainless steel microwave 1100/1400 watt
 Potato peeler machine
 Vegetable preparation m/c
 Waste disposal unit free standing
 Soup kettle
 Stainless steel sandwich toaster – 6 slot
 Stainless steel bread toaster 4 slot
 Contact grill – twin
 Refrigerated salad/vegetable preparation station with appropriate containers.
 Dish caddie
 Gastronome carts
 Food processor – 5 litres (Robot Coupe or equivalent)
 Mobile chilled trolley + sneeze guard
 Mobile hot trolley + sneeze guard
 Twin fryer unit, built in oil filter. 2x single baskets

Dry Goods Store, Cleaners Storage, Store Room, Fruit / Vegetable Store Room, Servery, and Loading Bay all as P A 50 Kit but Staff facilities separated into Staff Changing and Office as follows

Room Name:	Staff Changing Facilities
Required Floor Area:	Included within the 120m ²
Room Description:	To be usable for 4 members of staff and visiting officers. For storage of clothes, changing and toilet facilities
Special Requirements:	Toilets and wash hand basins off changing area
Finishes:	Walls – , resistant to wear, wipeable finish. Obscure glass to windows Floors – Slip resistant, wipeable. Ceiling – Moisture resistant. Min height 2.4m
Fixtures:	Hand drying facilities Tamper resistant mirror Sanitary fitments to be white and include for mirror, toilet roll holder, sanitary container and coat hooks etc. Soap dispensers. 5 No. full height lockers with secure key system Changing bench fitment Framed, self healing, fire resistant pin board. Min area 1.5m ² 5 No. coat hooks
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit See Section E.2 for power outlets

Additional Requirements:	Window- Natural ventilation-	Desirable Desirable
Room Name:	Office	
Required Floor Area:	Included within the 120m ²	
Room Layout:	Glazed window to allow vision into kitchen production area.	
Finishes:	Walls – resistant to wear, painted Floor - Anti-static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light. Ceiling – Minimum height 2.4m	
Fixtures:	Framed self healing, fire resistant pin boarding. Min area 1.5m ²	
Furniture: (Provisional)	2 No. Operator Chair 1 No. Office desk Adjustable shelving above desk. 2 drawer pedestal unit with lockable drawers	
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock 1 No. telephone handset with direct dial facilities Fax facilities 2 No. Network/voice/data points with associated power outlets. See Section E.2 for power outlets Panic alarm	
Additional Requirements:	Window- Natural ventilation:	Desirable Desirable

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P O 15 He

Room Name:	Head Teacher's Office	
Required Floor Area:	15m²	
Finishes:	Walls – resistant to wear, painted Vertical blinds to windows, excluding viewing panels Floor – Anti-static carpet with a warranty against edge ravel, delaminating, and zippering and with product lifetime colour fastness to light Ceiling – Minimum height 2.4m	
Fixtures:	Adjustable shelving on one wall. 4 shelves high 300mm wide Framed, self healing, fire resistant pin boarding. Min area 3m ²	
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock Dado trunking to one full wall with power and network outlets. 1 No. Telephone handset 3 No. Network/voice/data points with associated power outlets. See Section E.2 for power outlets Panic alarm School security control and override School bell ring point	
Additional Requirements	Window	Desirable
	Natural ventilation	Desirable
Furniture:	1 No. workstation with pedestal, return and conference 'D' end 1 No. operator chair 1 No. coffee table rect. 820 x 500mm 4 No. soft easy chairs 2 No. upholstered chairs 2 No. 5 shelf bookcases 2 No. 4 drawer filing cabinets Hat and coat stand	

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P O 19 He

ROOM DATA SHEET P O 20 He

Room Name:	Head Teacher's Office	
Required Floor Area:	19m ² or 20m ² as indicated in the Accommodation Schedules	
Finishes:	Walls – resistant to wear, painted Vertical blinds to windows, excluding viewing panels Floor – Anti-static carpet with a warranty against edge ravel, delaminating, and zippering and with product lifetime colour fastness to light Ceiling – Minimum height 2.4m	
Fixtures:	Adjustable shelving on one wall. 4 shelves high 300mm wide Framed, self healing, fire resistant pin boarding. Min area 3m ²	
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock Dado trunking to one full wall with power and network outlets. 1 No. Telephone handset 3 No. Network/voice/data points with associated power outlets. See Section E.2 for power outlets School security control and override School bell ring point	
Additional Requirements	Window	Essential
	Natural ventilation	Essential
Furniture:	1 No. workstation with pedestal, return and conference 'D' end 1 No. operator chair 1 No. coffee table rect. 820 x 500mm 4 No. soft easy chairs 2 No. upholstered chairs 2 No. 5 shelf bookcases 3 No. 4 drawer filing cabinets Hat and coat stand	

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P O 15 Ge

ROOM DATA SHEET P O 20 Ge

Room Name:	General Office/Admin/Reprographics Room	
Required Floor Area:	15m², or 20m² as indicated in the Accommodation Schedules	
Special Requirements:	Reception Desk – must overlook main entrance School bell must be capable of heard Contain main telephone control Space and facilities for photocopier and collator	
Relationship to other rooms:	Adjacent to Head Teacher's room, also adjacent to administration store	
Finishes:	Walls – resistant to wear, painted Floor - Anti-static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light. Ceiling – Minimum height 2.4m	
Fixtures:	Reception desk/Window 750mm wide, 725mm high continuous worktop to at least one wall with lockable door storage and tray units below. Storage to take heavy quantities of photocopy paper. Continuous wall cupboards over, including 1 lockable and 1 pigeon holed. Framed, self healing, fire resistant pin boarding. Min area 1.5m ² 5 No. coat hooks	
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock Dado trunking to two full walls containing power and network points 2 No. Telephone handsets with direct dial facilities Fax facilities 5 No. network/voice/data points with associated power outlets. FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services See Section E.2 for power outlets Photocopiers etc as specified below Panic alarm School Security Control	
Additional Requirements:	Window	Essential
	Natural ventilation	Desirable
Furniture:	3 No. workstations with pedestals. 3 No. operator chairs 2 No. upholstered chairs 4 No. 4 drawer filing cabinets 1 No. photocopier Authority specification	

The following reprographics equipment will be supplied and installed by the Contractor:

Photocopier Type 2:Specification

Digital copier with a minimum of 35 copies per minute
A3 to A6 printing and enlargement and reduction facility
Network printer controller – computer interface
Collator and multi position stapler
Automatic document feeder
Large capacity paper trays

Risograph model CR1610with computer interface

Electric ink duplicator, with job separator and stand

Collator

20 bin electronic collator on stand

In the case of the photocopiers the Authority will pay an agreed cost per copy to cover consumables.
In the case of the Risograph the Authority will pay for replacement ink and skins only.

The equipment to be installed in the individual New Project Facilities is as follows:

Cawdor Primary	1 no Type 2 Photocopier
Culbokie Primary	1 no Type 2 Photocopier
Cullicudden Newhall Primary	1 no Type 2 Photocopier
Gaelic Primary	1 no Type 2 Photocopier
Kinlochleven Primary	1 no Type 2 Photocopier
Inshes Primary	2 No Type 2 Photocopiers 1no Risograph 1no Collator

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P O 25 Gen

Room Name:	General Office/Admin/Reprographics Room	
Required Floor Area:	25m ² as indicated in the Accommodation Schedules	
Special Requirements:	Reception Desk – must overlook main entrance The school bell must be capable of being heard Contain main telephone control Space and facilities for photocopier and collator	
Relationship to other rooms:	Adjacent to Head Teacher's room, also adjacent to administration store	
Finishes:	Walls – resistant to wear, painted Floor – Anti-static carpet with warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light Ceiling – Minimum height 2.4m	
Fixtures:	Reception desk/Window 750mm wide, 725mm high continuous worktop to at least one wall with lockable door storage and tray units below. Storage to take heavy quantities of photocopy paper. Continuous wall cupboards over, including 1 lockable and 1 pigeon holed. Framed, self healing, fire resistant pin boarding. Min area 1.5m ² 5 No. coat hooks	
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock Dado trunking to two full walls containing power and network points 2 No. Telephone handsets with direct dial facilities Fax facilities 5 No. Network/voice/data points with associated power outlets. FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services. See Section E.2 for power outlets Panic alarm School Security Control	
Additional Requirements:	Window Natural ventilation	Essential Desirable
Furniture:	4 No. workstations with pedestals. 4 No. operator chairs 2 No. upholstered chairs 5 No. 4 drawer filing cabinets Photocopiers and collator to Authority specification (see Room data Sheet P O 15 GE)	

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET - P O 15 St/St

Room Name:	Staffroom /Store	
Required Floor Area:	15m ²	
Room Description:	To accommodate staff and provide resource storage	
Special Requirements:	Staff base with window and wall storage	
Finishes:	Walls – resistant to wear, painted Floor – Anti-static carpet with a warranty against edge ravel, delaminating and zipping and with product lifetime colour fastness to light Ceiling – Minimum height 2.4m	
Fixtures:	600mm wide, 900mm high worktop to one wall with cupboards under. Continuous wall cupboards over worktop Adjustable shelving to two walls 4No. shelves, 300mm deep	
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No electrically operated clock FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services Dado trunking to one full wall containing power and network points 5 No. Voice/Data points with associated power outlets See Section E.2 for power outlets Panic alarm	
Additional Requirements:	Window	Essential
	Natural ventilation	Essential
Furniture:	1 No. 5 shelf bookcase 2 No. workstations with pedestals. 2 No. operator chairs 2 No. upholstered chairs 2 No. 4 drawer filing cabinets	

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P O 25 St

ROOM DATA SHEET P O 27 St

ROOM DATA SHEET P O 35 St

ROOM DATA SHEET P O 50 St

Room Name:	Staffroom
Required Floor Area:	25m ² , 27m ² , 35m ² & 50m ² as indicated on Accommodation Schedules
Special Requirements:	Cloakroom and toilet adjacent to staffroom Staffroom to overlook play area
Finishes:	Walls – resistant to wear, painted Floor – Anti-static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light Waterproof slip resistant in wet area Ceiling – Minimum height 2.4m
Fixtures:	600mm wide, 900mm high worktop to one wall with cupboards under. Cutlery drawers required. Sink with drainer and splash back and hot and cold water including mains supply Continuous wall cupboards over worktop Refrigerator space under worktop Dishwasher space under worktop Tea/Coffee making facilities. (hydro boil or similar) Tea towel rail Lockable pigeon hole cupboard for staff correspondence
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services Dado trunking to one full wall containing power and network points 3 No. voice/data points with associated power outlets See Section E.2 for power outlets School Security Control Dishwasher, sink & hydro-boil connections
Additional Requirements:	Window Essential Natural ventilation Essential
Furniture:	1 No 1600 x 800mm general purpose table with 4 seats for 10 and 12 staff 2 No. 1600 x 800mm general purpose tables with 4 seats each for 20 staff 1 No. 4 drawer filing cabinets for 10 and 12 staff 2 No 4 drawer filing cabinets for 20 staff 1 No. 5 shelf bookcase 1 No. literature organizer Soft upholstered chairs and coffee tables to suit staff numbers listed below

Staff numbers	25m ² , 27m ² -10 35m ² -12 50m ² -20
Microwave oven	
Refrigerator	
Dishwasher	

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P O12 Med

ROOM DATA SHEET P O 14 Med

ROOM DATA SHEET P O 16 Med

ROOM DATA SHEET P O 20 Med

Room Name:	Medical/Visiting Services Room
Required Floor Area:	12m ² ,14m ² , 16m ² or 20m ² as indicated on Accommodation Schedules
Room Descriptions:	Room for medical and dental inspections Services required by Dental caravan
Special Requirements:	Windows to have obscure glass
Relationship to other rooms:	Adjacent to toilets and showers suitable for disabled
Finishes:	Walls – resistant to wear, painted Vertical blinds to windows, excluding viewing panels Floor –slip resistant, wipeable surface Ceiling –minimum height 2.4m
Fixtures:	Sink with drainer, splash back and hot and cold water including mains supply. Storage under with lockable cupboards Lockable wall cupboards above worktop Wash hand basin with splash back, hot and cold water and hand drying facilities 5 No. coat hooks Secure wall mounted medical cabinet. Small lockable medical fridge with freezer compartment Framed, self healing, fire resistant pin boarding. Min. area 2.5m ²
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock with sweep hand Medical task lamps Electric hand dryer 1 No. telephone hand set Dado trunking to one full wall containing power and network points See Section E.2 for power outlets 2/3 No. network/voice/data point and associated power outlets Dental caravan hook-up water and drainage to suit Authority's existing caravans (Socket – Martin & Lunel 11506A, 32A 2P&E interlocking switched socket) Panic alarm
Additional Requirements:	Window - Desirable Natural ventilation - Desirable
Furniture:	Medical waste disposal facilities Easy stack rest bed 1 No. operator chair 2 No. upholstered chairs 2 No. 2 drawer filing cabinets

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P O 15 Com

Room Name:	Community Office	
Required Floor Area:	15m ²	
Finishes:	Walls – resistant to wear, painted Floor – Anti-static carpet with a warranty against edge ravel, delaminating, and zippering and with product lifetime colour fastness to light Ceiling – Minimum height 2.4m	
Fixtures:	Adjustable shelving on one wall. 4 shelves high 300mm wide Framed, self healing, fire resistant pin boarding. Min area 5m ²	
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock Dado trunking to one full wall with power and network outlets. 1 No. Telephone handset 3 No. Network/voice/data points with associated power outlets. See Section E.2 for power outlets Hearing loop system	
Additional Requirements	Window	Desirable
	Natural ventilation	Desirable
Furniture:	1 No. workstation with pedestal, return and conference 'D' end 1 No. operator chair 1 No. coffee table rect. 820 x 500mm 4 No. soft easy chairs 2 No. upholstered chairs 2 No. 5 shelf bookcases 2 No. 4 drawer filing cabinets Hat and coat stand	

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P O 45 Com

ROOM DATA SHEET P O 49 Com

Room Name:	Community Room
Required Floor Area:	45m ² or 49m ² as indicated on the Accommodation Schedules
Room Description:	Spaces for community use, small group meetings
Special Requirements:	Access door with glazed viewing panel 900 x 900mm glazed viewing panel adjacent to access door where practicable
Finishes:	Walls –resistant to wear, painted. Vertical blinds to all windows, excluding viewing panels Floor - Anti-static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light. Ceiling - Minimum height 2.7m.
Fixtures:	750mm wide, 725mm high continuous worktop on cantilevered brackets along one wall with lockable door storage and tray units below. Legroom between storage for 5 seats – one to be suitable for wheelchair users. Continuous lockable wall cupboards above worktop. Roller white board minimum writing area 6m ² . With OHP screen. Framed, self healing, fire resistant pin boarding. Min area 10m ² 15 coat pegs.
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services 10 No. Network/voice/data points, above worktop, within dado trunking, adjacent to whiteboard and in floor box. All with associated power outlets Illumination of whiteboard See Section E.2 for power outlets Hearing induction loop Floor power outlet for overhead projector. Power and LCD link to ceiling projector mounting point from adjacent to whiteboard and floor box Panic alarm
Additional Requirements:	Window – Essential Natural ventilation - Essential Dim out blinds - Essential
Furniture:	8 No. Flip/fold tables 1600mm x 800mm 40 No. Vertically stacking fully upholstered chairs, no arms 5 No. Operator chairs 1 No. Overhead projector trolley 1 No. TV/video stand for 28’’ wide screen TV

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P O 25 Me

ROOM DATA SHEET P O 30 Me

Room Name:	Meeting Room
Required Floor Area:	25m ² , or 30m ² as indicated on Accommodation Schedules
Room Description:	To accommodate 15-20 people
Finishes:	Walls – resistant to wear, painted Vertical blinds to windows, excluding viewing panels Floor - Anti-static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light. Ceiling – Minimum height 2.7m
Fixtures:	Framed, self healing, fire resistant pin boarding. Min area 5m ² White board minimum writing area 4m ² . OHP screen 5 coat pegs.
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock FM radio and TV aerial/video network point(s) required for analogue and digital, terrestrial and satellite broadcast services 5 No. Network/voice/data points. All with associated power outlets Illumination of whiteboard Dado trunking to one full wall containing power and network points. See Section E.2 for power outlets Floor located power outlet for over head projector use 1 No. Telephone handset Panic alarm
Additional Requirements:	Daylight – Essential Window – Essential Natural ventilation – Essential
Furniture:	5 or 6 No. 1200 x 600 conference tables 20 vertically stacking fully upholstered chairs, no arms 1 No. overhead projector trolley 1 No. TV/video stand for 28” wide screen TV

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET - P O 7 RS

Room Name:	Recording Studio
Required Floor Area:	7m ²
Room Description:	To accommodate staff, equipment and storage
Special Requirements:	Sound proofing from surrounding areas, Desk top space and wall storage. Visual communication between Hall and Studio.
Finishes:	Walls – smooth, painted Floor – Anti-static carpet with a warranty against edge ravel, delaminating and zippering and with product lifetime colour fastness to light Ceiling – Minimum height 2.4m
Fixtures:	750mm wide, 720mm high worktop to one wall with knee space under. Continuous wall cupboards over worktop Window to Hall, - soundproof construction Full height shelving to one wall
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit FM radio and TV aerial/videonetwork point(s) required for analogue and digital, terrestrial and satellite broadcast services Dado trunking to two full wall containing power and network points Patch system to Hall 2 No. voice/data points with associated power outlets See Section E.2 for power outlets
Furniture:	One wall fully shelved, 300 deep shelves 2 No. operator chairs 1 No. 4 drawer filing cabinets

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P O 10 Nu

Room Name:	Nursery Office
Required Floor Area:	10m ²
Finishes:	Walls – resistant to wear, painted Vertical blinds to windows, excluding viewing panels Floor – Anti-static carpet with a warranty against edge ravel, delaminating, and zippering and with product lifetime colour fastness to light Ceiling – Minimum height 2.4m
Fixtures:	Adjustable shelving on one wall. 4 shelves high 300mm wide Framed, self healing, fire resistant pin boarding. Min area 3m ² 3 No coat hooks
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit 1 No. electrically operated clock Dado trunking to one full wall with power and network outlets. 1 No. telephone handset 3 No. network/voice/data points with associated power outlets. See Section E.2 for power outlets Panic alarm School security control and override School bell ring point
Additional Requirements	Window Essential Natural ventilation Essential
Furniture:	1 No. workstation with pedestal, return and conference 'D' end 1 No. operator chair 1 No. table rect. 800 x 1200mm 2 No. upholstered chairs 1 No. 5 shelf bookcases 2 No. 4 drawer filing cabinets

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P S 8 Re

ROOM DATA SHEET P S 10 Re

ROOM DATA SHEET P S 11 Re

ROOM DATA SHEET P S 13 Re

ROOM DATA SHEET P S 16 Re

ROOM DATA SHEET P S 18 Re

ROOM DATA SHEET P S 24 Re

Room Name:	Teaching Stores-Resources
Required Floor Area:	8m ² , 10m ² , 11m ² , 13m ² , 16m ² 18m ² , or 24m ² as indicated on Accommodation Schedules
Room Description:	General purpose stores for materials
Special Requirements:	Storage for stationary, arts materials, text books and project kits
Relationship to other rooms:	Near to teaching areas including Resource areas and GP/Dining room
Finishes:	Walls – resistant to wear, painted Floors – Resistant to wear Ceilings – Minimum height 2.4m
Fixtures:	At least $\frac{1}{3}$ rd of storage capacity to be tray storage Adjustable shelving to walls. 4 shelves high. 2 @ 600mm wide, 2 @ 400mm wide. Maximize flexible tray storage system 420mm wide, 1850mm high. Trays to be supplied in a variety of colours and depths. Maximize free standing standard duty metal racking storage, 450mm wide, 6 shelves high.
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit See Section E.2 for power outlets
Furniture:	2 to 6 No. trolleys – 18 tray units. Trays to be supplies in a variety of colours and depths

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P S 6 Nu

ROOM DATA SHEET P S 7 Nu

ROOM DATA SHEET P S 11 Nu

ROOM DATA SHEET P S 18 Nu

Room Name:	Nursery Store / Playgroup Store
Required Floor Area:	6m ² , 7m ² , 11m ² , 18m ²
Special Requirements;	Internal access for storage of indoor play equipment. Floor area to allow storage of bulky play equipment
Finishes:	Walls – resistant to wear, painted Floors – Resistant to wear
Fixtures:	Adjustable shelving to one wall to take 2 No. 600mm wide shelves and 2 No. 400 mm wide shelves Tall tray units to one wall with trays supplied in a variety of colours and depths Hooks to take net storage for play equipment
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit See Section E.2 for power outlets

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P S 12 PE

ROOM DATA SHEET P S 15 PE

Room Name:	PE Store
Required Floor Area:	12m ² or 15m ² as indicated in the Accommodation Schedules
Special requirements:	Mat store to comply with the requirements for storing cellular foam
Relationship to other rooms:	Should be off the hall with access to store and to remove bulky items
Finishes:	Walls – resistant to wear, painted Floors – resistant to wear Ceiling – 4.2m to allow for high level pulley storage of costumes etc.
Fixtures:	Double doors to facilitate equipment movement 4 No. 300mm wide, lipped, adjustable shelves to one full wall Racks for tennis and badminton rackets. Large hooks for holding hoops and poles Large hooks for ball nets Storage for 20 flat mats and large crash mats Storage for fold a way table tennis tables High level pulleys for storage of costumes.
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit See Section E.2 for power outlets

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P S 12 PE/O

ROOM DATA SHEET P S 15 PE/O

ROOM DATA SHEET P S 18 PE/O

ROOM DATA SHEET P S 20 PE/O

Room Name:	Outdoor PE Store
Required Floor Area:	12m ² 15m ² 19m ² or 20m ² as indicated on Accommodation Schedules.
Special Requirements:	Secure external door.
Fittings:	Adjustable shelving to one long wall with 2 shelves at 500mm deep. 2 shelves at 300mm deep. Racks to take sports equipment
Finishes:	Walls – resistant to wear, painted Floors – resistant to wear
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit Alarmed door contacts See Section E.2 for power outlets

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P S 10 Ch

ROOM DATA SHEET P S 13 Ch

ROOM DATA SHEET P S 14 Ch

ROOM DATA SHEET P S 15 Ch

ROOM DATA SHEET P S 16 Ch

ROOM DATA SHEET P S 20 Ch

Room Name:	Chair Store
Required Floor Area:	10m ² 13m ² , 14m ² , 15m ² , 16m ² , or 20m ² as indicated on Accommodation Schedules
Finishes:	Walls – resistant to wear, painted Floors – resistant to wear Ceiling – 2.7m
Fixtures:	Double doors to facilitate furniture movement 4 No. 300mmm wide adjustable shelves to one full wall
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit See Section E.2 for power outlets

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P S 5 Ad

ROOM DATA SHEET P S 7 Ad

ROOM DATA SHEET P S 8 Ad

Room Name:	Administration Store
Required Floor Area:	5m ² , 7m ² & 8m ² or as indicated on the Accommodation Schedules.
Special Requirements:	Accessible from school offices
Finishes:	Walls – resistant to wear, painted Floors – resistant to wear Ceiling – minimum height 2.4m
Fixtures:	Adjustable shelving to all available wall space. Shelving to cater for the storage of heavy quantities of paper 4 shelves high, 300mm wide Small fireproof cash safe
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit See Section E.2 for power outlets

PPP2 NEW PROJECT FACILITIES - PRIMARY

ROOM DATA SHEET P S 10 Mu

Room Name:	Music Store
Required Floor Area:	10m ²
Finishes:	Floors – Resistant to wear Walls – resistant to wear, painted Ceiling – Minimum height 2.4m
Fixtures:	Adjustable shelving to all available wall space. Shelving to cater for the storage of heavy quantities of paper 4 shelves high, 300mm wide Hooks for instruments
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit See Section E.2 for power outlets

PPP2 NEW PROJECT FACILITIES - PRIMARY

EXTERNAL DATA SHEET- P S XX Out

COMPRISING

Nursery play area
Hard play area
Sports field
Garden area
Vehicular access and car parking
Cycle compound
Refuse area
Social areas
Playgroup area (Cawdor & Inshes)
Trim Track (Inshes)

Areas: to be provided as indicated on the Accommodation Schedules

Area: **Nursery Area**

Requirements: To cater for the safe play of up to 30, (60 at Inshes) very young children.
The area must be made secure for children to be contained and play safely.
Hard surfaced area should be provided.
The area should be varied in materials, textures, natural features and habitats;
Wheelchairs must be accessible all outdoor areas.
An area capable of cultivation should be provided.
An external water tap with a removable key is required.
A covered external space is desirable.
A toy store should be accessed from the hard surfaced area
Hard play areas should have painted markings for use with wheeled toys, trucks and bikes
A mounded area is desirable.
Period bell must be capable of being heard
Proprietary safety surface is to be provided below all appropriate play equipment. (As listed below)

Furniture: Climbing frame
Bird table
Covered sand pit
Loose play equipment.
External bench seating for infants
Proprietary lockable, double door, weatherproof chalet type external playhouse/store of approximately 14.4m² to house external play equipment and children's gardening tools.

Areas: **Hard Surfaced Play area**

Special requirements: Multi-games hard play area usable for 5 a side football pitch
Line markings are to be provided for basketball and heavy duty posts and nets provided.
This area is also to be used for informal recreation
The New Project Facility hard play area shall double as overspill car parking
Requirements: Period bell must be capable of being heard
Lighting –where required

Finishes:	Porous tarmac surface or equal
Fixtures:	Ground sockets for posts and nets.
Areas:	Playing Field and Sports area
Special requirements:	To cater for football, rounders, cricket, ball play etc Line markings are to be provided for pitches. Football pitch to be minimum 70 x 40 metres Inshes and Cullicudden Newhall – Football pitch to be minimum 90m by 45 m 80 metre running track with markings Safe sockets for removable games posts and nets
Requirements:	Period bell must be capable of being heard Lighting –where required
Finishes:	Grass surface
Fixtures:	Removable posts and nets.
Areas:	Garden and habitat areas
Requirements:	To cater for the planting of flowers, vegetables, fruit, etc in an established garden environment. Hard surfaced paths should be provided to allow wheelchair access. Raised beds should be provided for wheelchair users. A walkway which passes through the garden area, trees and horticultural species to provide interest and continuity to the layout of the New Project Facility grounds. Ground to be prepared, fed, cultivated and ready for immediate use.
Areas:	Vehicular access and parking etc
Requirements:	To cater for the car parking for the school and community facilities including disabled parking For car parking provision requirements see Accommodation Schedules. To cater for the temporary parking and loading/unloading of the busses/cars arriving at the schools including disabled facilities. A hard standing for the dental caravan adjacent to the appropriate connections and drainage outfall is required. The location should be adjacent to the medical room if practical. Period bell must be capable of being heard. Lighting –where required The New Project Facility hard play area should double as overspill car parking
Fixtures:	Adequate signage
Areas:	Cycle Compound
Requirements:	A secured cycle store to cater for the school To be located in an area that is supervised

An open mesh secure enclosure with lockable gates and parking supports that will allow the bicycle frame to be padlocked to the supports. Covered cycle parking as identified in the Accommodation Schedules
Cycle routes should be clearly identified
Period bell must be capable of being heard
Lighting –where required
To cater for numbers identified in the Accommodation Schedules

Areas:	Waste Bin and Sorting area
Special requirements:	To cater for the waste disposal requirements. Must be secure against infestations and the effects of the weather Must be screened from general view
Requirements:	Period bell must be capable of being heard Lighting –where required
Finishes:	Walls –resistant to wear, painted. Floor – slip resistant.
Fixtures:	Wash down facilities Secure area
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit See Section E.2 for power outlets

Areas:	Informal play and social areas
Requirements:	To cater for the safe play of children and infants in an informal environment. Hard surfaced areas should surround the school to provide sheltered seating and gathering/meeting places. Changes in level, planting, walling, surfacing etc should form social spaces which can be used and enjoyed by pupils in comfort. Robust fixed seating and tables for one third of pupil numbers Seating and tables to be wheelchair user friendly.
M&E Provisions:	All M&E items, Furniture and Equipment listed below and listed in Fixtures above will have a suitably rated and configured power outlet/spur unit Perimeter lighting on the building will illuminate these areas. Period bell must be capable of being heard Lighting –where required

Areas:	Playgroup area (Cawdor & Inshes)
Requirements:	To cater for the safe play of up to 20 very young children. The area must be made secure for children to be contained and play safely. The area should be sheltered and sunlit. The area should be varied in materials, textures, natural features and habitats; Wheelchairs must be accessible to the hard play area. An area capable of cultivation should be provided.

An external water tap with a removable key is required.
A covered external space is desirable.
The toy store should be accessed from the hard surfaced area
Tarmac should have painted markings for use with wheeled toys, trucks and bikes
A mounded area is desirable.
Period bell must be capable of being heard
Proprietary safety surface is to be provided below all appropriate play equipment. (As listed below)

Furniture:

Climbing frame
Bird table
Covered sand pit
Loose play equipment.
Proprietary lockable, double door, weatherproof chalet type external playhouse/store of approximately 14.4m² to house external play equipment and children's gardening tools.

Areas:

Trim track (Inshes only)

Guidance area:

To be incorporated in the New Project Facility grounds around the perimeter of the sports/play area.

Requirements:

To provide exercise stations at regular points along the route.
To provide a safe running/jogging surface of maximum practical length within the school grounds.

Area:

General

Tree belts or copses should be positioned to counter prevailing winds. Protect the building and its environs where possible as well as provide a natural setting for the building itself.
A flagpole should be positioned in a prominent position at the entrance to the building.
External lighting should be provided to all areas where at footpaths, car parking, building perimeter, cycle compound, social areas.
Natural features and existing planting should be integrated into the layout where appropriate
Safety and security of occupants must be reflected in the design and layout of the site
Wheelchair access must be available to all areas